

Function	WV-○○○○-xx	Multi-sensor		Multi-sensor		Multi-sensor		Multi-sensor		Multi-sensor		Multi-sensor		PTZ		PTZ		PTZ		PTZ		PTZ		
		WV-X86531-Z2/ Z2-1 WV-X86530-Z2/ Z2-1	WV-S85702-F3L/ F3L1 WV-S85402-V2L/ V2L1	WV-U85402-V2L/ V2L1	WV-S8574L/S8574LG WV-S8573L/S8573LG	WV-S8564L/S8564LG WV-S8563L/S8563LG	WV-S8544L/S8544G WV-S8543L/S8543G WV-S8543L/S8543LG	WV-S8571N/S8571N	WV-S8570N/S8570N	WV-X66700-Z3K/Z3LK WV-X66600-Z3K/Z3LK WV-X66300-Z4K/Z4LK WV-X66300-Z3K/Z3LK	WV-S66700-Z3N/Z3LN WV-S66600-Z3N/Z3LN WV-S66300-Z4N/Z4LN WV-S66300-Z3N/Z3LN	WV-X66700-Z3S/Z3LS WV-X66600-Z3S/Z3LS WV-X66300-Z4S/Z4LS WV-X66300-Z3S/Z3LS	WV-S66700-Z3/Z3L WV-S66600-Z3/Z3L WV-S66300-Z4/Z4L WV-S66300-Z3/Z3L	WV-X6533LN/X6533LNS WV-S6532LN/S6532LNS	WV-S65501-Z1/Z1G									
WJ-NX310K/KG WJ-NX410K/KG WJ-NX510K/KG (V1.00) *20	MJPEG	no	no	no	no	no	no	no	no	no	no	no	no	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	Audio *32	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	yes	-	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NU101K/KG WJ-NU201K/KG WJ-NU300K/KG WJ-NU301K/KG (V1.30) *20	MJPEG	no	no	no	no	no	no	no	no	no	no	no	no	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	Audio *32	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	yes	-	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NX400 (V5.30) *20	MJPEG	no	no	no	no	no	no	no	no	no	no	no	no	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	Audio *32	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	yes	-	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NX300 (V5.30) *20	MJPEG	no	no	no	no	no	no	no	no	no	no	no	no	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	Audio	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	yes	-	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NX200 (V5.30) *20 (Discontinued model)	MJPEG	no	no	no	no	no	no	no	no	no	no	no	no	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	Audio	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	yes	-	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NX100 (V5.30) *20 (Discontinued model)	MJPEG	no	no	no	no	no	no	no	no	no	no	no	no	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	Audio	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	yes	-	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NV300 (V2.30) *14 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	Audio *8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-NV200 (V2.60) *14 (Discontinued model)	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND400K (V6.10) *14 (Discontinued model)	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8*11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model or camera classification] : Register as a substitute model or a camera classification.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Support G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4k resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Support maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WV-X6511N
 *22 : Transmission format must be

Function	DOME	DOME	DOME	DOME	DOME	DOME	DOME	DOME	DOME	DOME	DOME	DOME	DOME	DOME	DOME	DOME
	WV-S25700-V2L/V2LG/V2LN/V2LN1 WV-S22700-V2L/V2LG/V2L1	WV-S25600-V2L/V2LG/V2LN WV-S22600-V2L/V2LG	WV-S25500-V3L/V3LG/V3LN/V3LN1 WV-S22500-V3L/V3LG/V3L1	WV-S25500-F6L/F3L WV-S22500-F3L/F6L	WV-S2536L/LG/LGN/LN/LT/LTN WV-S2536LA/LGA/LGNA/LNA/LTA/LTNA	WV-X2571LN/X2271L	WV-X2551LN/X2251L	WV-S2572L/S2272L	WV-S2570L/S2270L	WV-S2552L/S2252L	WV-S2550L/S2250L	WV-S2531LN/S2531LTN/S2511LN	WV-U2542LA/U2540LA/U2532LA/U2530LA	WV-U2542L/U2540L/U2532L/U2530L	WV-S2236L/L-B/LG-LG-B WV-S2236LA/LA-B/LGA-LGA-B	
WJ-NX310K/KG WJ-NX410K/KG WJ-NX510K/KG (V1.00) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	yes	yes	yes	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	Audio *32	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes *31	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NU101K/KG WJ-NU201K/KG WJ-NU300K/KG WJ-NU301K/KG (V1.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes *31	yes
	Audio *32	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
WJ-NX400 (V5.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes *31	yes
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NX300 (V5.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes *31	yes
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NX200 (V5.30) *20 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes *31	yes
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NX100 (V5.30) *20 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes *31	yes
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NV300 (V2.30) *14 (Discontinued model)	MJPEG	-	-	-	-	[S2531]	yes	yes	yes	yes	yes	yes	yes	yes	[S2231]	
	MPEG4	-	-	-	-	-	-	-	-	[SFV781/SPV781]	-	-	-	-	-	
	H.264	-	-	-	-	[S2531]	-	-	-	-	[SFV781/SPV781]*22,*24	-	yes	yes	[S2231]	
	H.265	-	-	-	-	-	-	-	-	-	-	-	no	no	-	-
	Audio *8	-	-	-	-	[S2531]	-	-	-	-	[SFV781/SPV781]	-	yes	yes	-	[S2231]
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NV200 (V2.60) *14 (Discontinued model)	MJPEG	-	-	-	-	[S2531]	-	-	-	-	[SFV781/SPV781]	-	yes	yes	[S2231]	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-ND400K (V6.10) *14 (Discontinued model)	MJPEG	-	-	-	-	[S2531]	-	-	-	-	[SFV781/SPV781]	-	yes	yes	[S2231]	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	[S2531]	-	-	-	-	[SFV781/SPV781]*15,*19	-	yes	yes	[S2231]	
	H.265	-	-	-	-	-	-	-	-	-	-	-	no	no	-	-
	Audio *8	-	-	-	-	[S2531]	-	-	-	-	[SFV781/SPV781]	-	yes	yes	-	[S2231]
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-ND300A (V5.20) *4,*14 (Discontinued model)	MJPEG	-	-	-	-	[S2531]	-	-	-	-	[SFV781/SPV781]	-	yes	yes	[S2231]	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-ND200 (V3.35) *4,*14 (Discontinued model)	MJPEG	-	-	-	-	-	-	-	-	-	-	[SP305] *2	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	-	-	-	-	-	-	-	-	-	-	-	[SP305]	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[substitute model or camera classification] : Register as a substitute model or a camera classification.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Support G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Support maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WV-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser
 *23 : Support G.726/32kbps and AAC-LC/64kbps.
 *24 : Supported image capture sizes are 4KUHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).
 *25 : Support 640x480
 *26 : Support 1920x1080,1280x720 and 1280x960. Supported up to 30 fps
 *27 : WV-V1170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).
 *28 : Support G.726
 *29 : Support 640x480 and 320x240.
 *30 : Support 3840x2160, 1920x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WV-V1170.
 *31 : The supported camera firmware is V1.10 or later.
 *32 : Only AAC-LC/64kbps is supported.
 *33 : For the camera classification such as [I-PRO(A_FIX)] and [I-PRO(B_FIX)], refer to the following ReadMe of recorder.
[WJ-NX10 series ReadMe](#)
[WJ-NU series ReadMe](#)

Function	Bullet		Bullet		Bullet		Bullet		Bullet		Box		Box		360-degree		360-degree		
	WV-X1571LN	WV-X1551LN	WV-S1572L WV-S1552L	WV-S1570L	WV-S1550L	WV-S1531LN/S1531LTN/ S1531LNS/S1511LN	WV-U1542LA/U1532LA	WV-U1542L/U1532L	WV-U11300-V2	WV-S1136/S1136A	WV-S1132/S1131/ S1112/S1111	WV-U1142A/U1132A/U1130A	WV-U1142/U1132/U1130	WV-X4573L	WV-X4171/X4571L				
WJ-NX310K/KG WJ-NX410K/KG WJ-NX510K/KG (V1.00) *20	MJPEG	yes	yes	yes	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio *32	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NU101K/KG WJ-NU201K/KG WJ-NU300K/KG WJ-NU301K/KG (V1.30) *20	MJPEG	yes	yes	yes	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio *32	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NX400 (V5.30) *20	MJPEG	yes	yes	yes	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NX300 (V5.30) *20	MJPEG	yes	yes	yes	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NX200 (V5.30) *20 (Discontinued model)	MJPEG	yes	yes	yes	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NX100 (V5.30) *20 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	yes	yes	yes	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NV300 (V2.30) *14 (Discontinued model)	MJPEG	yes	yes	yes	[SPV781/SPV781]	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	[SPV781/SPV781]*22,*24	yes	yes	-	-	-	-	[S1131]	yes	-	-	-	-	yes	-
	H.265	-	-	-	-	no	no	-	-	-	-	-	-	no	-	-	-	-	-
	Audio *8	-	-	-	[SPV781/SPV781]	yes	yes	-	-	-	-	-	[S1131]	yes	-	-	-	-	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NV200 (V2.60) *14 (Discontinued model)	MJPEG	-	-	-	[SPV781/SPV781]	yes	yes	-	-	-	-	[S1131]	yes	-	-	-	-	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	[SPN631]*22	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	no	-	-	-	-	-
	Audio *8	-	-	-	-	-	-	-	-	-	-	-	-	[SPN631]	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-ND400K (V6.10) *14 (Discontinued model)	MJPEG	-	-	-	[SPV781/SPV781]	yes	yes	-	-	-	-	[S1131]	yes	-	-	-	-	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	[SPV781/SPV781]*15,*19	yes	yes	-	-	-	-	[S1131]	yes	-	-	-	-	yes	
	H.265	-	-	-	-	no	no	-	-	-	-	-	no	-	-	-	-	-	-
	Audio *8	-	-	-	[SPV781/SPV781]	yes	yes	-	-	-	-	[S1131]	yes	-	-	-	-	-	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	-	-	-	[SPV781/SPV781]	yes	yes	-	-	-	-	[S1131]	yes	-	-	-	-	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	-	-	-	[SPV781/SPV781]	yes	yes	-	-	-	-	[S1131]	yes	-	-	-	-	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	-	-	-	-	-	-	-	-	-	-	-	-	[SP305]	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[substitute model or camera classification] : Register as a substitute model or a camera classification.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Support G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Support maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WV-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser
 *23 : Support G.726/32kbps and AAC-LC/64kbps.
 *24 : Supported image capture sizes are 4KUHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).
 *25 : Support 640x480
 *26 : Support 1920x1080,1280x720 and 1280x960. Supported up to 30 fps
 *27 : WV-V1170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).
 *28 : Support G.726
 *29 : Support 640x480 and 320x240.
 *30 : Support 3840x2160, 1920x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WV-V1170.
 *31 : The supported camera firmware is V1.10 or later.
 *32 : Only AAC-LC/64kbps is supported.
 *33 : For the camera classification such as [I-PRO(A_FIX)] and [I-PRO(B_FIX)], refer to the following ReadMe of recorder.
[WJ-NX10 series ReadMe](#)
[WJ-NU series ReadMe](#)

Function	360-degree		360-degree		360-degree		360-degree		360-degree		Compact		Compact		Compact		Compact		Compact	
	WV-X4573LM/X4571LM	WV-X4172/X4173	WV-X4170	WV-S4576L/S4176/S4576AL/S4176A	WV-S4556L/S4156/S4556LA/S4156A	WV-S4551L/S4151	WV-S4550L/S4150	WV-S4551LM/S4550LM	WV-X35402-F2L WV-X35302-F2L	WV-X35402-F2LM WV-X35302-F2LM	WV-S35402-F2L/ F2L1/ F2LG WV-S32402-F2L/ F2L1/ F2LG	WV-S35302-F2L/ F2L1/ F2LG WV-S32302-F2L/ F2L1/ F2LG	WV-U35401-F2L/ F2LG WV-U31401-F2L/ F2LG	WV-U35301-F2L/ F2LG WV-U31301-F2L/ F2LG	WV-S3531L					
WJ-NX310K/KG WJ-NX410K/KG WJ-NX510K/KG (V1.00) *20	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio *32	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NU101K/KG WJ-NU201K/KG WJ-NU300K/KG WJ-NU301K/KG (V1.30) *20	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio *32	-	yes	-	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NX400 (V5.30) *20	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio *23	-	yes *23	-	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
WJ-NX300 (V5.30) *20	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio *23	-	yes *23	-	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
WJ-NX200 (V5.30) *20 (Discontinued model)	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio *23	-	yes *23	-	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
WJ-NX100 (V5.30) *20 (Discontinued model)	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio *23	-	yes *23	-	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
WJ-NV300 (V2.30) *14 (Discontinued model)	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	-	-	-	-	yes	-	-	-	-	[S3530/S3130]	-	-	[S3530/S3130]	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	[S3530/S3130]	-	-	[S3530/S3130]	-	no	no
	Audio *8	-	-	-	-	-	-	-	yes	-	-	-	-	[S3530/S3130]	-	-	[S3530/S3130]	-	yes	yes
WJ-NV200 (V2.60) *14 (Discontinued model)	MJPEG	-	-	yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	[SFV130]*22
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	no
	Audio *8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	[SFV130]
WJ-ND400K (V6.10) *14 (Discontinued model)	MJPEG	-	-	yes	-	-	-	yes	-	-	-	-	-	[S3530/S3130]	-	-	[S3530/S3130]	-	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	-	-	-	yes	-	-	-	-	-	[S3530/S3130]	-	-	[S3530/S3130]	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	x	-	no	no
	Audio *8	-	-	-	-	-	-	-	yes	-	-	-	-	[S3530/S3130]	-	-	[S3530/S3130]	-	yes	yes
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	-	-	yes	-	-	-	yes	-	-	-	-	-	[S3530/S3130]	-	-	[S3530/S3130]	-	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	-	-	-	-	-	-	yes	-	-	-	-	[S3530/S3130]	-	-	[S3530/S3130]	-	yes	yes
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	[SF335]*2
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[substitute model or camera classification] : Register as a substitute model or a camera classification.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Support G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Support maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WV-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser
 *23 : Support G.726/32kbps and AAC-LC/64kbps.
 *24 : Supported image capture sizes are 4KUHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).
 *25 : Support 640x480
 *26 : Support 1920x1080,1280x720 and 1280x960. Supported up to 30 fps
 *27 : WV-V1170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).
 *28 : Support G.726
 *29 : Support 640x480 and 320x240.
 *30 : Support 3840x2160, 1920x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WV-V1170.
 *31 : The supported camera firmware is V1.10 or later.
 *32 : Only AAC-LC/64kbps is supported.
 *33 : For the camera classification such as [I-PRO(A_FIX)] and [I-PRO(B_FIX)], refer to the following ReadMe of recorder.
[WJ-NX10 series ReadMe](#)
[WJ-NU series ReadMe](#)

Function	Compact		Compact		Compact		I-PRO mini		Mic		Others		Others		Others		Others		PTZ		PTZ		PTZ	
	WV-S3511L	WV-S3532LM/S3512LM	WV-S3131L	WV-S3111L	WV-SB131M/SB111M	WV-S71300-F3 WV-S71300A-F3	WV-PM500	WV-V1330LK	WV-V2530LK	WV-V1170	WV-V1330L1/V2530L1	WV-V6430L	WV-SW598/SC588/ SW598A/SC588A	WV-SW397/SC387/ SW397A/SC387A/ SW397B	WV-SW396/SW395/ SC386/SC384									
WJ-NX310K/KG WJ-NX410K/KG WJ-NX510K/KG (V1.00) *20	MJPEG	yes	-	yes	yes	-	yes	-	-	-	-	-	-	-	-	-	-	[I-PRO(B_PTZ)]*33	[I-PRO(B_PTZ)]*33	[I-PRO(A_PTZ)]*33	-	-	-	
	H.264	yes	-	yes	yes	-	yes	-	-	-	-	-	-	-	-	-	-	[I-PRO(B_PTZ)]*33	[I-PRO(B_PTZ)]*33	[I-PRO(A_PTZ)]*33	-	-	-	
	H.265	yes	-	yes	yes	-	yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *32	yes	-	yes	yes	-	yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-NU101K/KG WJ-NU201K/KG WJ-NU300K/KG WJ-NU301K/KG (V1.30) *20	MJPEG	yes	-	yes	yes	-	yes	-	-	-	-	-	-	-	-	-	-	[I-PRO(B_PTZ)]*33	[I-PRO(B_PTZ)]*33	[I-PRO(A_PTZ)]*33	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	-	yes	yes	-	yes	-	-	-	-	-	-	-	-	-	-	[I-PRO(B_PTZ)]*33	[I-PRO(B_PTZ)]*33	[I-PRO(A_PTZ)]*33	-	-	-	
	H.265	yes	-	yes	yes	-	yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *32	yes	-	yes	yes	-	yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-NX400 (V5.30) *20	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Motion detection (VMD)	yes	-	yes	yes	-	yes	-	-	-	-	-	-	-	-	-	-	[I-PRO(B_PTZ)]*33	[I-PRO(B_PTZ)]*33	[I-PRO(A_PTZ)]*33	-	-	-	
	MJPEG	yes	-	yes	yes	-	yes	-	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	-	yes	yes	-	yes	-	yes *26	yes *26	yes *26*27	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	
WJ-NX300 (V5.30) *20	H.265	yes	-	yes	yes	-	yes	-	yes *26	yes *26	yes *26*27	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	
	Audio	yes *23	-	yes *23	yes *23	-	yes *23	-	yes *26	yes *26	yes *26*27	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Motion detection (VMD)	yes	-	yes	yes	-	yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MJPEG	yes	-	yes	yes	-	yes	-	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	
WJ-NX200 (V5.30) *20 (Discontinued model)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	-	yes	yes	-	yes	-	yes *26	yes *26	yes *26*27	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	
	H.265	yes	-	yes	yes	-	yes	-	yes *26	yes *26	yes *26*27	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	
	Audio	yes *23	-	yes *23	yes *23	-	yes *23	-	yes *26	yes *26	yes *26*27	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-NX100 (V5.30) *20 (Discontinued model)	Motion detection (VMD)	yes	-	yes	yes	-	yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MJPEG	yes	-	yes	yes	-	yes	-	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	yes *25	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	-	yes	yes	-	yes	-	yes *26	yes *26	yes *26*27	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	
	H.265	yes	-	yes	yes	-	yes	-	yes *26	yes *26	yes *26*27	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	
WJ-NV300 (V2.30) *14 (Discontinued model)	Audio	yes *23	-	yes *23	yes *23	-	yes *23	-	yes *26	yes *26	yes *26*27	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Motion detection (VMD)	yes	-	yes	yes	-	yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MJPEG	yes	-	yes	yes	-	yes	-	yes *29	yes *29	yes *29	yes *29	yes *29	yes *29	yes *29	yes *29	yes *29	yes *29	yes *29	yes *29	yes *29	yes *29	yes *29	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-NV200 (V2.60) *14 (Discontinued model)	H.264	yes	-	yes	yes	-	yes	-	yes *26	yes *26	yes *26*30	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	yes *26	
	H.265	no	-	no	no	-	no	-	no	no	no	no	no	no	no	no	no	no	no	no	no	no	no	
	Audio *8	yes	-	yes	yes	-	yes	-	no	no	no	no	no	no	no	no	no	no	no	no	no	no	no	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Motion detection (VMD)	yes	-	yes	yes	-	yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND400K (V6.10) *14 (Discontinued model)	MJPEG	[SFV110]	-	[SFN130]	[SFN110]	-	-	-	[SW558]*29	[SW559]*29	[SPV781L]*29	[SW558]*29	[SW598]*29	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	[SFV110]*22	-	[SFN130]*22	[SFN110]*22	-	-	-	[SW558]*26	[SW559]*26	[SPV781L]*26	[SW558]*26	[SW598]*26	yes	yes	yes	yes	yes	yes	yes	yes	yes		
	H.265	no	-	no	no	-	-	-	no	no	no	no	no	no	no	no	no	no	no	no	no	no	no	
	Audio *8	[SFV110]	-	[SFN130]	[SFN110]	-	-	-	no	[SW559]	[SPV781L]	-	[SW598]	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Motion detection (VMD)	[SFV110]	-	[SFN130]	[SFN110]	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MJPEG	[SF335]*2	-	[SF335]*2	[SF335]*2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MJPEG	[SF335]*2	-	[SF335]*2	[SF335]*2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8*11	[SF335]	-	[SF335]	[SF335]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

[substitute model or camera classification] : Register as a substitute model or a camera classification.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Support G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4k resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Support maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WV-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser
 *23 : Support G.726/32kbps and AAC-LC/64kbps.
 *24 : Supported image capture sizes are 4KUH(D(3840x2160), WQH(D(2560x1440), FHD(1920x1080) and HD(1280x720).
 *25 : Support 640x480
 *26 : Support 1920x1080,1280x720 and 1280x960. Supported up to 30 fps
 *27 : WV-V1170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).
 *28 : Support G.726
 *29 : Support 640x480 and 320x240.
 *30 : Support 3840x2160, 1920x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WV-V1170.
 *31 : The supported camera firmware is V1.10 or later.
 *32 : Only AAC-LC/64kbps is supported.
 *33 : For the camera classification such as [I-PRO(A_FIX)] and [I-PRO(B_FIX)], refer to the following ReadMe of recorder.
[WJ-NX10 series ReadMe](#)
[WJ-NU series ReadMe](#)

Function	PTZ		Bullet		Bullet		Bullet		Bullet		Box		Box		Box	
	WV-SW396A/SW395A	WV-SC385	WV-SPV781L	WV-SPW631L/SPW631L	WV-SPW611L/SPW611	WV-SPW531AL/SPW311AL	WV-SPW532L/SPW312L	WV-SW316L/SW316	WV-SW314	WV-SPN611/SPN631	WV-SPN531/SPN531A	WV-SPN311/SPN310/SPN311A/SPN310A	WV-SP509	WV-SP508	WV-SP300 series	
WJ-NX310K/KG WJ-NX410K/KG WJ-NX510K/KG (V1.00) *20	MJPEG	[I-PRO(A_PTZ)]*33	[I-PRO(A_PTZ)]*33	[I-PRO(D_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(A_FIX)]*33	
	H.264	[I-PRO(A_PTZ)]*33	[I-PRO(A_PTZ)]*33	[I-PRO(D_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(A_FIX)]*33	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *32	no	no	[I-PRO(D_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(A_FIX)]*33	-	[I-PRO(A_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	no	-	no	
	PTZ	[I-PRO(A_PTZ)]*33	[I-PRO(A_PTZ)]*33	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-NU101K/KG WJ-NU201K/KG WJ-NU300K/KG WJ-NU301K/KG (V1.30) *20	MJPEG	[I-PRO(A_PTZ)]*33	[I-PRO(A_PTZ)]*33	[I-PRO(D_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(A_FIX)]*33	
	H.264	[I-PRO(A_PTZ)]*33	[I-PRO(A_PTZ)]*33	[I-PRO(D_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(A_FIX)]*33	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *32	no	no	[I-PRO(D_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(A_FIX)]*33	-	[I-PRO(A_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	no	-	no	
	PTZ	[I-PRO(A_PTZ)]*33	[I-PRO(A_PTZ)]*33	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-NX400 (V5.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	no	no	-	-	-	-	no	no	-	-	-	-	no		
	H.264	yes	yes	yes*19	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio	yes	yes	yes *23	yes *23	yes *23	yes *23	-	yes	-	yes *23	yes *23	yes *8	-	yes	
WJ-NX300 (V5.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	no	no	-	-	-	-	no	no	-	-	-	-	no		
	H.264	yes	yes	yes*19	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Audio	yes	yes	yes *23	yes *23	yes *23	yes *23	-	yes	-	yes *23	yes *23	yes *8	-	yes	
WJ-NX200 (V5.30) *20 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	no	no	-	-	-	-	no	no	-	-	-	-	no		
	H.264	yes	yes	yes*19	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes		
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Audio	yes	yes	yes *23	yes *23	yes *23	yes *23	-	yes	-	yes *23	yes *23	yes *8	-	yes	
WJ-NX100 (V5.30) *20 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	no	no	-	-	-	-	no	no	-	-	-	-	no		
	H.264	yes	yes	yes*19	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes		
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Audio	yes	yes	yes *23	yes *23	yes *23	yes *23	-	yes	-	yes *23	yes *23	yes *8	-	yes	
WJ-NV300 (V2.30) *14 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	no	no	-	-	-	-	no	no	-	-	-	-	no		
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes		
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NV200 (V2.60) *14 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	yes	yes	-	-	-	-	yes	yes	-	-	-	-	yes		
	H.264	yes	yes	yes*12	yes*12	yes*12	yes*12	yes	yes	yes*12	yes*12	yes*12	yes	yes		
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes		
WJ-ND400K (V6.10) *14 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	yes	yes	-	-	-	-	yes	yes	-	-	-	-	yes		
	H.264	yes	yes	yes*15,*19	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes		
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes		
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	[SC385]	yes	-	[SP305] *2	[SP305]	[SP305] *2	[SP305]	[SP305]	[SP305]	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	
	MPEG4	[SC385]	yes	-	-	-	-	[SP305]	[SP305]	-	-	-	-	-		
	H.264	[SC385]	yes	-	-	-	-	[SP305]	[SP305]	-	-	-	-	-		
	H.265	-	-	-	-	-	-	[SP305]	[SP305]	-	-	-	-	-		
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-		
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	[SC385]	yes	-	[SP305] *2	[SP305]	[SP305] *2	[SP305]	[SP305]	[SP305]	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	yes	
	MPEG4	[SC385]	yes	-	-	-	-	[SP305]	[SP305]	-	-	-	-	-		
	H.264	[SC385]	yes	-	-	-	-	[SP305]	[SP305]	-	-	-	-	yes		
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Audio *8*11	[SC385]	yes	-	[SP305]	[SP305]	[SP305]	-	[SP305]	-	[SP305]	[SP305]	[SP305]	[SP305]	yes	

[substitute model or camera classification] : Register as a substitute model or a camera classification.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080, including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Support G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 fps
 *13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Support maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WV-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser
 *23 : Support G.726/32kbps and AAC-LC/64kbps.
 *24 : Supported image capture sizes are 4KUHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).
 *25 : Support 640x480
 *26 : Support 1920x1080, 1280x720 and 1280x960. Supported up to 30 fps
 *27 : WV-V1170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).
 *28 : Support G.726
 *29 : Support 640x480 and 320x240.
 *30 : Support 3840x2160, 1920x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WV-V1170.
 *31 : The supported camera firmware is V1.10 or later.
 *32 : Only AAC-LC/64kbps is supported.
 *33 : For the camera classification such as [I-PRO(A_FIX)] and [I-PRO(B_FIX)], refer to the following ReadMe of recorder.

WJ-NX10 series ReadMe
 WJ-NJ series ReadMe

Function	Box	Box	Dome	Dome	Dome	Dome	Dome	Dome	Dome	Dome	Dome	Dome	Dome	360-degree	360-degree	360-degree	
	WV-SP105/SP102	WV-NP502	WV-SFV781L	WV-SFN611L/SFN631L/SFR611L/SFR631L/SFV611L/SFV631L/SFV611LT	WV-SFN531/SFR531/SFV531	WV-SFN311A/SFN310A/SFR311A/SFR310A/SFV311A/SFV310A	WV-SFN311/SFN310/SFR311/SFR310/SFV311/SFV310	WV-SW559/SF549/SF539	WV-SW558/SF548/SF538	WV-SW355/SW352/SF346/SF342	WV-SF330 series	WV-NW502S	WV-SFV481/SFN480*7	WV-SW458/SF438/SF448E*7	WV-SW458MA		
WJ-NX310K/KG WJ-NX410K/KG WJ-NX510K/KG (V1.00) *20	MJPEG	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(D_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(D_FE)]*33	[I-PRO(B_FE)]*33	-
	H.264	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(D_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(D_FE)]*33	[I-PRO(B_FE)]*33	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *32	-	no	[I-PRO(D_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	no	-	-	no	no	[I-PRO(D_FE)]*33	no	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NU101K/KG WJ-NU201K/KG WJ-NU300K/KG WJ-NU301K/KG (V1.30) *20	Motion detection (VMD)	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(D_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(D_FE)]*33	[I-PRO(B_FE)]*33	-
	MJPEG	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(D_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(D_FE)]*33	[I-PRO(B_FE)]*33	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	no	no	-	-	-	-
	H.264	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(D_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(D_FE)]*33	[I-PRO(B_FE)]*33	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NX400 (V5.30) *20	Audio *32	-	no	[I-PRO(D_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	no	-	no	no	[I-PRO(D_FE)]*33	no	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Motion detection (VMD)	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(D_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(D_FE)]*33	[I-PRO(B_FE)]*33	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	no	no	-	-	-	-
WJ-NX300 (V5.30) *20	H.264	yes	yes	yes*19	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	yes *8	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *8	-	yes	yes	yes *8	yes *8	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
WJ-NX200 (V5.30) *20 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	no	no	-	-	-	-
	H.264	yes	yes	yes*19	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	yes *8	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *8	-	yes	yes	yes *8	yes *8	-	
WJ-NX100 (V5.30) *20 (Discontinued model)	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	no	no	-	-	-	-
	H.264	yes	yes	yes*19	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
WJ-NV300 (V2.30) *14 (Discontinued model)	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
WJ-NV200 (V2.60) *14 (Discontinued model)	MPEG4	-	-	-	-	-	-	-	-	-	-	no	no	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-ND400K (V6.10) *14 (Discontinued model)	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	yes	yes	-	-	-	-
	H.264	yes	yes	yes*15,*19	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	MJPEG	yes	yes	yes *2	[SF335]*2	[SF335]*2	[SF335]*2	[SF335]*2	[SF335]*2	[SF335]*2	[SF335]*2	[SF335]	yes	yes *2	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	[SF335]	yes	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	H.264	yes	yes	-	-	-	-	-	-	-	-	[SF335]	yes	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8*11	-	yes	-	[SF335]	[SF335]	[SF335]	[SF335]	[SF335]	[SF335]	-	[SF335]	yes	yes	yes	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model or camera classification] : Register as a substitute model or a camera classification.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080, including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Support G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 fps
 *13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4k resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Support maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WV-6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser
 *23 : Support G.726/32kbps and AAC-LC/64kbps.
 *24 : Supported image capture sizes are 4KUHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).
 *25 : Support 640x480
 *26 : Support 1920x1080, 1280x720 and 1280x960. Supported up to 30 fps
 *27 : WV-V1170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).
 *28 : Support G.726
 *29 : Support 640x480 and 320x240.
 *30 : Support 3840x2160, 1920x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WV-V1170.
 *31 : The supported camera firmware is V1.10 or later.
 *32 : Only AAC-LC/64kbps is supported.
 *33 : For the camera classification such as [I-PRO(A_FIX)] and [I-PRO(B_FIX)], refer to the following ReadMe of recorder.
[WJ-NX10 series ReadMe](#)
[WJ-NU series ReadMe](#)

Function	Compact		Compact		Compact		Compact		Pan/Tilt		Pan/Tilt		Pan/Tilt		Pan/Tilt		360-degree Mic		Encoder		Encoder	
	WV-SFV130/SFV110	WV-SFN130/SFN110	WV-SW158/SF138	WV-SW155/SW152/SW115	WV-SF135/SF132	WV-SW175/SW172/ST165/ST162	WV-SW174W*3	BB-HCM7 series	BB-HCM5 series	WV-SMR10/SMR10N3	WJ-GXE500	WJ-GXE100										
WJ-NX310K/KG WJ-NX410K/KG WJ-NX510K/KG (V1.00) *20	MJPEG	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_PTZ)]*33	[I-PRO(A_PTZ)]*33	-	-	-	-	yes	yes								
	H.264	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_PTZ)]*33	[I-PRO(A_PTZ)]*33	-	-	-	-	yes	yes								
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-								
	Audio *32	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	no	-	-	no	-	-	-	-	-	no	-								
	PTZ	-	-	-	-	-	-	[I-PRO(A_PTZ)]*33	[I-PRO(A_PTZ)]*33	-	-	-	-	yes	yes							
WJ-NU101K/KG WJ-NU201K/KG WJ-NU300K/KG WJ-NU301K/KG (V1.30) *20	MJPEG	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_PTZ)]*33	[I-PRO(A_PTZ)]*33	-	-	-	-	yes	yes								
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	no	-								
	H.264	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	[I-PRO(B_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_FIX)]*33	[I-PRO(A_PTZ)]*33	[I-PRO(A_PTZ)]*33	-	-	-	-	yes	yes								
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-								
	Audio *32	[I-PRO(C_FIX)]*33	[I-PRO(C_FIX)]*33	no	-	-	no	-	-	-	-	-	no	-								
WJ-NX400 (V5.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes								
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	no	-								
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes								
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-								
	Audio	yes *23	yes *23	yes *8	-	-	yes *8	yes *8	yes *8	yes *8	yes *8	yes *8	yes	yes (ch1) *8								
WJ-NX300 (V5.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes								
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	no	-								
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes								
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-								
	Audio	yes *23	yes *23	yes *8	-	-	yes *8	yes *8	yes *8	yes *8	yes *8	yes *8	yes	yes (ch1) *8								
WJ-NX200 (V5.30) *20 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes								
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	no	-								
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes								
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-								
	Audio	yes *23	yes *23	yes *8	-	-	yes *8	yes *8	yes *8	yes *8	yes *8	yes *8	yes	yes (ch1) *8								
WJ-NX100 (V5.30) *20 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes								
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	no	-								
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes								
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-								
	Audio	yes *23	yes *23	yes *8	-	-	yes *8	yes *8	yes *8	yes *8	yes *8	yes *8	yes	yes (ch1) *8								
WJ-NV300 (V2.30) *14 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes								
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	no	-								
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes								
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-								
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes (ch1)								
WJ-NV200 (V2.60) *14 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes								
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	no	-								
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes								
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-								
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes (ch1)								
WJ-ND400K (V6.10) *14 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes								
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	yes	-								
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes								
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-								
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes (ch1)								
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	[SF335]*2	[SF335]*2	[SF335] *2	[SF335]	[SF335]	[SC385]	[SC385]	-	yes	yes	yes	yes	[GXE500 ch1]								
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	yes	-								
	H.264	-	-	-	[SF335]	[SF335]	[SC385]	[SC385]	yes	-	-	-	yes	[GXE500 ch1]								
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-								
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-								
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	[SF335]*2	[SF335]*2	[SF335] *2	[SF335]	[SF335]	[SC385]	[SC385]	yes	yes	yes	yes	yes	[GXE500 ch1]								
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	yes	-								
	H.264	-	-	-	[SF335]	[SF335]	[SC385]	[SC385]	yes	-	-	-	yes	[GXE500 ch1]								
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-								
	Audio *8*11	[SF335]	[SF335]	[SF335]	-	-	[SC385]	[SC385]	yes	-	-	-	yes	[GXE500 ch1]								

[substitute model or camera classification] : Register as a substitute model or a camera classification.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Support G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 fps
 *13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Support maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WV-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser
 *23 : Support G.726/32kbps and AAC-LC/64kbps.
 *24 : Supported image capture sizes are 4KUHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).
 *25 : Support 640x480
 *26 : Support 1920x1080,1280x720 and 1280x960. Supported up to 30 fps
 *27 : WV-V1170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).
 *28 : Support G.726
 *29 : Support 640x480 and 320x240.
 *30 : Support 3840x2160, 1920x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WV-V1170.
 *31 : The supported camera firmware is V1.10 or later.
 *32 : Only AAC-LC/64kbps is supported.
 *33 : For the camera classification such as [I-PRO(A_FIX)] and [I-PRO(B_FIX)], refer to the following ReadMe of recorder.
[WJ-NX10 series ReadMe](#)
[WJ-NU series ReadMe](#)

	Fucntion	WV-S35402-F2L/ F2L1/ F2LG WV-S32402-F2L/ F2L1/ F2LG	WV-S35302-F2L/ F2L1/ F2LG WV-S32302-F2L/ F2L1/ F2LG	WV-X35402-F2L/ F2LM	WV-X35302-F2L/ F2LM	WV-U35401-F2L/ F2LG WV-U31401-F2L/ F2LG	WV-U35301-F2L/ F2LG WV-U31301-F2L/ F2LG	WV-X66300-Z3S/ Z3LS WV-X66300-Z4S/ Z4LS WV-X66600-Z3S/ Z3LS WV-X66700-Z3S/ Z3LS	WV-S66300-Z3/ Z3L WV-S66300-Z4/ Z4L WV-S66600-Z3/ Z3L WV-S66700-Z3/ Z3L	WV-X86530-Z2/ Z2-1 WV-X86531-Z2/ Z2-1	WV-S85702-F3L/ F3L1	WV-S85402-V2L/ V2L1	WV-U85402-V2L/ V2L1	WV-PM500	WV-S61501-Z1	WV-S65501-Z1/Z1G
WV-ASM300 (V7.00)	MJPEG	-	yes	-	-	-	-	yes	yes	no	no	no	no	-	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	-	-	-	-	yes	yes	yes	yes	yes	yes	-	yes	yes
	H.265	-	yes	-	-	-	-	yes	yes	yes	yes	yes	yes	-	yes	yes
	Audio*23	-	yes	-	-	-	-	yes	yes	yes	yes	yes	yes	-	yes	yes
	PTZ	-	-	-	-	-	-	yes	yes	yes	yes	-	-	-	yes	yes
Direct connection to camera	RTP over HTTP	-	yes	-	-	-	-	yes	yes	yes	yes	yes	yes	-	yes	yes
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASM200 (V5.10) *24	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASM100 (Ver8.00) *5,*14, *24	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASC970 (Ver19.00)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-GXD400 (Ver2.21) *6,*14,*20	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.06) (Discontinued model)	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.
 *1 : Only for remote PTZ cameras.
 *5 : WV-ASM100 does not support displaying 16:9.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.
 *21 : WV-ASM200 does not support wiper function.
 *22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.
 *23 : Supported G.726 or AAC.
 *24 : Please connect to the camera from the PC browser and change the authentication method from Digest to Digest or Basic.
 *25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.
 *26 : Support "VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.
 *27 : Restrictions is still under study. Will be updated.
 *28 : Support G.726 for WV-V2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.
 *29 : Support WV-CU950/CU980

	Fucntion	WV-S61300-ZY/ZYG	WV-S65300-ZY/ZYG	WV-S65301-Z1/Z1G Z1-1/Z1S	WV-S65302-Z2/Z2G Z2-1	WV-U61300- ZY/ZYG/ZYV	WV-U65300-ZY/ZYG	WV-S65340- Z2N/Z4N/Z2K/Z4K /Z2KJ/Z2G/Z4G/Z2 Z2N1/Z4/Z4N1	WV-S61302-Z4	WV-S25500-F3L/F6L	WV-S22500-F3L/F6L	WV-S15500-F3L/F6L	WV-U61301-Z1/Z2	WV-U65301-Z1/Z1G	WV-U65302-Z2/Z2G	WV-S61301-Z1/Z2	
WV-ASM300 (V7.00)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASM200 (V5.10) *24	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASM100 (Ver8.00) *5,*14,*24	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASC970 (Ver19.00)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-GXD400 (Ver2.21) *6,*14,*20	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(Discontinued model)	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.06) (Discontinued model)	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.
 *1 : Only for remote PTZ cameras.
 *5 : WV-ASM100 does not support displaying 16:9.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.
 *21 : WV-ASM200 does not support wiper function.
 *22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.
 *23 : Supported G.726 or AAC.
 *24 : Please connect to the camera from the PC browser and change the authentication method from Digest 0 Digest or Basic.
 *25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.
 *26 : Support "VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.
 *27 : Restrictions is still under study. Will be updated.
 *28 : Support G.726 for WV-V2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.
 *29 : Support WV-CU950/CU980

	Fucntion	WV-S71300-F3/ S71300A-F3	WV-S25700- V2L/V2LN/V2LG/V2LN1	WV-S25600- V2L/V2LN/V2LG	WV-S25500- V3L/V3LN/V3LG/V3LN1	WV-S22700- V2L/V2LG/V2L1/V2L1Q	WV-S22600-V2L/V2LG	WV-S22500- V3L/V3LG/V3L1	WV-S15700- V2L/V2LN/V2LK	WV-S15600-V2L/V2LN	WV-S15500- V3L/V3LN/V3LN1/V3LK	WV-U11300-V2	WV-U21300-V2L	WV- S8573L/S8573LG/S857 4L/S8574LG	WV- S8563L/S8563LG/S856 4L/S8564LG	WV- S8543/S8543G/S8544/ S8544L/S8544LG
WV-ASM300 (V7.00)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASM200 (V5.10) *24	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASM100 (Ver8.00) *5,*14,*24	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASC970 (Ver19.00)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-GXD400 (Ver2.21) *6,*14,*20	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(Discontinued model)	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.06) (Discontinued model)	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.
 *1 : Only for remote PTZ cameras.
 *5 : WV-ASM100 does not support displaying 16:9.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.
 *21 : WV-ASM200 does not support wiper function.
 *22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.
 *23 : Supported G.726 or AAC.
 *24 : Please connect to the camera from the PC browser and change the authentication method from Digest o Digest or Basic.
 *25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.
 *26 : Support "VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.
 *27 : Restrictions is still under study. Will be updated.
 *28 : Support G.726 for WV-V2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.
 *29 : Support WV-CU950/CU980

	Fucntion	WV- X8571N/S8531N	WV- X8570N/S8530N	WV- X6533LN/X6533LNS/S6 532LN/S6532LNS	WV- X6531N/X6531NS/ X6511N	WV-SUD638	WV-S6530N	WV- S6131/S6111/S6130	WV- X4573L/X4573LM	WV- X4171/X4571L/ X4571LM	WV-X4172/X4173	WV-X4170	WV-S4556L/S4156/ S4156A/S4556LA	WV-S4576L/S4176/ S4176A/S4576LA	WV- S4551L/S4551LM/ S4151	WV- S4550L/S4550LM/ S4150
WV-ASM300 (V7.00)	MJPEG	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio*23	yes (for X8571N)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified
Direct connection to camera (Discontinued model)	PTZ	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified
	RTP over HTTP	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified
	MJPEG	-	-	-	-	yes	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	yes	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	-	-	-	-	yes	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	yes*21	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	yes	yes	Unverified	Unverified	-	-	-	-	-	-	-	Unverified
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	yes	yes	Unverified	Unverified	-	-	-	-	-	-	-	Unverified
Direct connection to camera (Discontinued model)	H.265	-	-	-	yes	yes	Unverified	Unverified	-	-	-	-	-	-	-	Unverified
	Audio*8	-	-	-	yes	yes	Unverified	Unverified	-	-	-	-	-	-	-	Unverified
	PTZ	-	-	-	yes	yes	-	-	-	-	-	-	-	-	-	Unverified
	RTP over HTTP	-	-	-	-	yes	Unverified	Unverified	-	-	-	-	-	-	-	Unverified
	MJPEG	-	-	-	yes	yes	yes	yes	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-GXD400 (Ver2.21) *6,*14,*20	H.264	-	-	-	yes	yes	yes	yes	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	-	-	-	yes	yes	yes	yes	-	-	-	-	-	-	-	-
	PTZ	-	-	-	yes	yes	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	yes	-	-	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.06) (Discontinued model)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	-	-	-	-	yes	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	yes	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	yes	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	yes	-	-	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.
 *1 : Only for remote PTZ cameras.
 *5 : WV-ASM100 does not support displaying 16:9.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.
 *21 : WV-ASM200 does not support wiper function.
 *22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.
 *23 : Supported G.726 or AAC.
 *24 : Please connect to the camera from the PC browser and change the authentication method from Digest 0 Digest or Basic.
 *25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.
 *26 : Support "VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.
 *27 : Restrictions is still under study. Will be updated.
 *28 : Support G.726 for WV-V2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.
 *29 : Support WV-CU950/CU980

	Fucntion	WV-SFV481/SFN480 *7	WV-SW458/SW458MA/SF438/SF448E *7	WV-X2571LN/X2271L	WV-X1571LN	WV-S2572L/S2272L/S1572L	WV-S2570L/S2270L/S1570L	WV-SFV781L/SPV781L	WV-X1551LN	WV-S1536L/ L-B/ LN/ LN-B/ LNS/ LT/ LTN WV-S1536LA/ LA-B/ LNA/ LNA-B/ LNSA/ LTA/ LTNA	WV-S1552L	WV-S1550L	WV-S1531LN/S1531LTN/ S1531LNS	WV-S1511LN	WV-U1542LA/U1532LA	WV-U1542L
WV-ASM300 (V7.00)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes*17,*18	yes	yes	yes	yes	yes	yes*18	yes	yes	yes	yes	yes	yes	yes	-
	H.265	-	-	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes
	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
Direct connection to camera	PTZ	yes	yes	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	-	-	-	-	yes	-	-	-	-	yes	yes	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes*17,*18	yes	-	-	-	-	yes*18	-	-	-	-	yes	yes	-	-
WV-ASM200 (V5.10) *24	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	-	-	-	-	yes	-	-	-	-	yes	yes	-	-
	PTZ	yes	yes	-	-	-	-	-	-	-	-	-	yes	-	-	-
	RTP over HTTP	yes	-	-	-	-	-	yes	-	-	-	-	yes	yes	-	-
	MJPEG	-	-	-	-	-	-	yes	-	-	-	-	-	yes	-	-
WV-ASM100 (Ver8.00) *5,*14, *24	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	yes	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	yes	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	-	-	-	-	yes	-	-	-	-	yes	yes	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes*17,*19	yes	-	-	-	-	yes*19	-	-	-	-	yes	yes	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	yes	yes	-	-
WV-ASC970 (Ver19.00)	Audio*8	yes	yes	-	-	-	-	yes	-	-	-	-	yes	yes	-	-
	PTZ	yes	yes	-	-	-	-	-	-	-	-	-	yes	yes	-	-
	RTP over HTTP	yes	-	-	-	-	-	yes	-	-	-	-	yes	yes	-	-
	MJPEG	-	-	-	-	-	-	yes	-	-	-	-	yes	yes	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-GXD400 (Ver2.21) *6,*14,*20	H.264	-	-	-	-	-	-	yes	-	-	-	-	yes	yes	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	-	-	-	-	-	-	yes	-	-	-	-	yes	yes	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.06)	MJPEG	yes	yes	-	-	-	-	yes	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	yes*16	yes	-	-	-	-	yes	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	-	-	-	-	yes	-	-	-	-	-	-	-	-
(Discontinued model)	PTZ	yes	yes	-	-	-	-	yes*22	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	-	-	-	-	yes	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.
 *1 : Only for remote PTZ cameras.
 *5 : WV-ASM100 does not support displaying 16:9.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.
 *21 : WV-ASM200 does not support wiper function.
 *22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.
 *23 : Supported G.726 or AAC.
 *24 : Please connect to the camera from the PC browser and change the authentication method from Digest 0 Digest or Basic.
 *25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.
 *26 : Support "VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.
 *27 : Restrictions is still under study. Will be updated.
 *28 : Support G.726 for WV-V2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.
 *29 : Support WV-CU950/CU980

	Fucntion	WV-U1532L	WV-S1136/S1136A	WV-S1132/S1131/S1112/S1111	WV-U1142A/U1132A/U1130A	WV-U1142	WV-U1132/U1130	WV-X2551LN/X2251L	WV-S2536L/ LN/ LG/ LGN/ LT/ LTN WV-S2536LA/ LNA/ LGA/ LGNA/ LTA/ LTNA	WV-S2552L/S2252L	WV-S2550L/S2250L	WV-S2531LN/S2531LTN	WV-S2511LN	WV-U2542LA/U2540LA/U2532LA/U2530LA	WV-U2542L/U2540L/U2532L/U2530L	WV-S2136/ -B/ G/ G-B/ L/ L-B/ LG/ LG-B WV-S2136A/ A-B/ GA/ GA-B/ LA/ LA-B/ LGA/ LGA-B
WV-ASM300 (V7.00)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio*23	-	yes	yes	yes	-	-	-	yes	yes	yes	yes	yes	yes	-	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
WV-ASM200 (V5.10) *24	PTZ	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	RTP over HTTP	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
WV-ASM100 (Ver8.00) *5,*14, *24	H.265	-	-	yes	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	MJPEG	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
WJ-GXD400 (Ver2.21) *6,*14,*20	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.06)	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(Discontinued model)	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.
 *1 : Only for remote PTZ cameras.
 *5 : WV-ASM100 does not support displaying 16:9.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.
 *21 : WV-ASM200 does not support wiper function.
 *22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.
 *23 : Supported G.726 or AAC.
 *24 : Please connect to the camera from the PC browser and change the authentication method from Digest 0 Digest or Basic.
 *25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.
 *26 : Support "VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.
 *27 : Restrictions is still under study. Will be updated.
 *28 : Support G.726 for WV-V2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.
 *29 : Support WV-CU950/CU980

	Fucntion	WV-S2236L/ L-B/ LG/ LG-B WV-S2236LA/ LA-B/ LGA/ LGA-B	WV-S2131L/S2131/S2130/S2231L	WV-S2111L/S21110/S2211L	WV-U2142LA/U2140LA/U2132LA/U2130LA	WV-U2142L/U2140L	WV-U2132L/U2130L	WV-S3531L/S3511L	WV-S3532LM/S3512LM	WV-S3131L/S3111L	V series	WV-SBV131M/SBV111M	WV-SW598/SW598A/SC588/SC588A	WV-SW397/SW397A/SW397B/SC387/SC387A	WV-SW396/SW395/SC386/SC385/SC384	WV-SPW631LT/SPW631L/SPW611L/SPW611
WV-ASM300 (V7.00)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes *26	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes *27	-	-	-	-
	Audio*23	yes	yes	yes	yes	-	-	yes	yes	yes	yes	yes *28	-	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	yes *1*29	-	yes	yes	yes
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	yes	yes	yes	yes
	MJPEG	-	yes	yes	-	-	-	-	-	-	yes *26	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	-	-	-	-	-	-	yes	-	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	yes	yes	-	-	-	-	-	-	yes *28	-	yes	yes	yes	yes
WV-ASM200 (V5.10) *24	PTZ	-	yes	-	-	-	-	-	-	-	yes *1*29	-	yes	yes	yes	yes
	RTP over HTTP	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.264	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
Direct connection to camera	Audio*8	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	RTP over HTTP	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MJPEG	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.264	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
WV-ASM100 (Ver8.00) *5,*14, *24	H.265	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	RTP over HTTP	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MJPEG	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
Direct connection to camera	H.264	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.265	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	Audio*8	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	RTP over HTTP	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MJPEG	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
WV-ASC970 (Ver19.00)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.264	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.265	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	Audio*8	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	RTP over HTTP	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
WJ-GXD400 (Ver2.21) *6,*14,*20	MJPEG	-	yes	yes	-	-	-	yes	yes	yes	-	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.264	-	yes	yes	-	-	-	yes	yes	yes	-	-	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	Audio*9	-	yes	yes	-	-	-	yes	yes	yes	-	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
Direct connection to camera	RTP over HTTP	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.264*25	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
BB-HNP17 (Ver4.06)	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.264*25	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
Direct connection to camera	Audio*8	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.264*25	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes

Discontinued model might have the function which doesn't work.
 *1 : Only for remote PTZ cameras.
 *5 : WV-ASM100 does not support displaying 16:9.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.
 *21 : WV-ASM200 does not support wiper function.
 *22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.
 *23 : Supported G.726 or AAC.
 *24 : Please connect to the camera from the PC browser and change the authentication method from Digest 0 Digest or Basic.
 *25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.
 *26 : Support "VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.
 *27 : Restrictions is still under study. Will be updated.
 *28 : Support G.726 for WV-V2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.
 *29 : Support WV-CU950/CU980

	Fucntion	WV-SPW531AL/SPW311AL	WV-SPW532L/SPW312L	WVV-SPW311LH	WV-SW316L/SW316	WV-SW314	WV-SPN611/SPN631	WV-SPN531/SPN531A	WV-SPN310/SPN311 SPN310A/SPN311A	WV-SP509	WV-SP508	WV-SP300 series	WV-SP105/SP102	WV-NP502	WV-SFN611L/SFN631L/ SFR611L/SFR631L/ SFV611L/SFV631L/ SFV631LT	WV-SFN531/SFR531/ SFV531
WV-ASM300 (V7.00)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	yes	yes	-	-	-	-	-	yes	-	yes	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*23	yes	-	yes	yes	-	yes	yes	yes	yes	-	yes	-	yes	yes	yes
Direct connection to camera	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	yes	yes	-	-	-	-	-	yes	-	yes	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WV-ASM200 (V5.10) *24	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	-	yes	yes	-	yes	yes	yes	yes	-	yes	-	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WV-ASM100 (Ver8.00) *5,*14,*24	MPEG4	-	-	-	yes	yes	-	-	-	-	-	yes	-	yes	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	-	yes	yes	-	yes	yes	yes	yes	-	yes	-	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	yes	yes	-	-	-	-	-	yes	-	yes	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASC970 (Ver19.00)	Audio*8	yes	-	yes	yes	-	yes	yes	yes	yes	-	yes	-	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	yes	yes	-	-	-	-	-	yes	-	yes	-	-
Direct connection to camera (Discontinued model)	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	-	yes	yes	-	yes	yes	yes	yes	-	yes	-	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-GXD400 (Ver2.21) *6,*14,*20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	yes	yes	-	-	-	-	-	yes	-	yes	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	yes	-	yes	yes	-	yes	yes	yes	yes	-	yes	-	yes	yes	yes
(Discontinued model)	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	yes	yes	-	-	-	-	-	yes	-	yes	-	-
	H.264*25	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
BB-HNP17 (Ver4.06)	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	-	-	yes	-	yes	yes	yes	-	-	yes	-	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	(Discontinued model)	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes

Discontinued model might have the function which doesn't work.
 *1 : Only for remote PTZ cameras.
 *5 : WV-ASM100 does not support displaying 16:9.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.
 *21 : WV-ASM200 does not support wiper function.
 *22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.
 *23 : Supported G.726 or AAC.
 *24 : Please connect to the camera from the PC browser and change the authentication method from Digest 0 Digest or Basic.
 *25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.
 *26 : Support "VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.
 *27 : Restrictions is still under study. Will be updated.
 *28 : Support G.726 for WV-V2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.
 *29 : Support WV-CU950/CU980

	Fucntion	WV-SFN311/SFN310/SFN311L/SFR311/SFR310/SFV311/SFV310	WV-SFN311A/SFN310A/SFR311A/SFR310A/SFV311A/SFV310A	WV-SW559/SF549/SF539	WV-SW558/SF548/SF538	WV-SW355/SW352/SF346/SF342	WV-SF330 series	WV-NW502S	WV-SFV130(M)/SFV110(M)	WV-SFN130/SFN110	WV-SW158/SF138	WV-SW155/SW155MA/SW152/SF135/SF132/SW115	WV-SW175/SW172/ST165/ST162	WV-SW174W	BB-HCM7 series	BB-HCM5 series
WV-ASM300 (V7.00)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	yes	yes	yes	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*23	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	-	yes	yes	-	-
Direct connection to camera	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	yes	yes	yes	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-
WV-ASM200 (V5.10) *24	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	-	yes	yes	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-
WV-ASM100 (Ver8.00) *5,*14, *24	MPEG4	-	-	-	-	yes	yes	yes	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	-	yes	yes	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	-	-
Direct connection to camera (Discontinued model)	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	yes	yes	yes	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASC970 (Ver19.00)	Audio*8	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	-	yes	yes	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	yes	yes	yes	-	-	-	-	-	-	-	-
WJ-GXD400 (Ver2.21) *6,*14,*20	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	-	yes	yes	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.06)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	yes	yes	yes	-	-	-	-	-	-	yes	yes
	H.264*25	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes
(Discontinued model)	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes *1	yes *1
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-

Discontinued model might have the function which doesn't work.
 *1 : Only for remote PTZ cameras.
 *5 : WV-ASM100 does not support displaying 16:9.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.
 *21 : WV-ASM200 does not support wiper function.
 *22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.
 *23 : Supported G.726 or AAC.
 *24 : Please connect to the camera from the PC browser and change the authentication method from Digest 0 Digest or Basic.
 *25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.
 *26 : Support "VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.
 *27 : Restrictions is still under study. Will be updated.
 *28 : Support G.726 for WV-V2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.
 *29 : Support WV-CU950/CU980

	Fucntion	WV-SMR10/SMR10N3	WJ-GXE500	WJ-GXE100	BL-VT164/VT164W	BL-VP104/101 VP104W	BL-C2 series C1 series
WV-ASM300 (V7.00)	MJPEG	-	yes	yes	-	-	-
	MPEG4	-	yes	-	-	-	-
	H.264	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-
	PTZ	-	yes	yes	-	-	-
Direct connection to camera	Audio*23	yes	yes (ch1)	-	-	-	-
	RTP over HTTP	-	yes	yes	-	-	-
	PTZ	-	yes	yes	-	-	-
WV-ASM200 (V5.10) *24	MJPEG	-	yes	yes	-	-	-
	MPEG4	-	yes	-	-	-	-
	H.264	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-
	PTZ	-	yes	yes	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	yes	yes (ch1)	-	-	-	-
	RTP over HTTP	-	yes	yes	-	-	-
	PTZ	-	yes	yes	-	-	-
WV-ASM100 (Ver8.00) *5,*14, *24	MJPEG	-	yes	-	-	-	-
	MPEG4	-	yes	-	-	-	-
	H.264	-	yes	-	-	-	-
	H.265	-	-	-	-	-	-
	PTZ	-	yes (ch1)	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	-	yes	-	-	-	-
	RTP over HTTP	-	yes	-	-	-	-
	PTZ	-	yes	yes	-	-	-
WV-ASC970 (Ver19.00)	MJPEG	-	yes	yes	-	-	-
	MPEG4	-	yes	-	-	-	-
	H.264	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-
	PTZ	-	yes (ch1)	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	-	yes	yes	-	-	-
	RTP over HTTP	-	yes	yes	-	-	-
	PTZ	-	yes	yes	-	-	-
WJ-GXD400 (Ver2.21) *6,*14,*20	MJPEG	-	yes	yes	-	-	-
	MPEG4	-	yes	-	-	-	-
	H.264	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-
	PTZ	-	yes (ch1)	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*9	-	yes	-	-	-	-
	RTP over HTTP	-	yes	yes	-	-	-
	PTZ	-	yes	yes	-	-	-
BB-HNP17 (Ver4.06)	MJPEG	-	yes	yes	yes	yes	yes
	MPEG4	-	yes	-	-	-	yes
	H.264*25	-	yes	yes	yes	yes	yes *11
	H.265	-	-	-	-	-	-
	PTZ	-	yes (ch1)	-	yes	-	yes
Direct connection to camera (Discontinued model)	Audio*8	-	yes	yes	yes	-	yes *1
	RTP over HTTP	-	yes	yes	yes	yes	yes
	PTZ	-	yes	yes	yes	yes	yes

Discontinued model might have the function which doesn't work.
 *1 : Only for remote PTZ cameras.
 *5 : WV-ASM100 does not support displaying 16:9.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.
 *21 : WV-ASM200 does not support wiper function.
 *22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.
 *23 : Supported G.726 or AAC.
 *24 : Please connect to the camera from the PC browser and change the authentication method from Digest o Digest or Basic.
 *25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.
 *26 : Support "VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.
 *27 : Restrictions is still under study. Will be updated.
 *28 : Support G.726 for WV-V2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.
 *29 : Support WV-CU950/CU980

	Function	WJ-NX310K/KG WJ-NX410K/KG WJ-NX510K/KG	WJ-NU101K/KG WJ-NU201K/KG WJ-NU300K/KG WJ-NU301K/KG	WJ-NX400	WJ-NX300	WJ-NX200	WJ-NV300	WJ-NV200	WJ-ND400K	WJ-ND300A	WJ-HD616/HD716
WV-ASM300 (V7.00) Via Recorder	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	MPEG4	-	-	-	-	-	-	yes	yes	yes	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	-
	Audio	Live/Playback(Receive)(*11)	Live/Playback(Receive)(*11)	Live/Playback(Receive)(*10)	Live/Playback(Receive)(*10)	Live/Playback(Receive)(*10)	Live/Playback(Receive)(*8)	Live/Playback(Receive)(*8)	Live/Playback(Receive)(*8)	Live/Playback(Receive)(*8)	Live/Playback(Receive)(*8)
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	VMD	yes	yes	yes	yes	yes	yes	yes	yes	-	yes
RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	
WV-ASM200 (V5.10) Via Recorder (Discontinued model)	MJPEG	-	-	-	-	-	yes	yes	yes	yes	-
	MPEG4	-	-	-	-	-	-	yes	yes	yes	-
	H.264	-	-	-	-	-	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	-	Live/Playback(Receive)
	PTZ	-	-	-	-	-	yes	yes	yes	yes	yes
	VMD	-	-	-	-	-	yes	yes	yes	-	yes
RTP over HTTP	-	-	-	-	-	yes	yes	yes	-	yes	
WV-ASM100 (Ver8.00) Via Recorder (Discontinued model)	MJPEG	-	-	-	-	-	-	yes	yes	yes	-
	MPEG4	-	-	-	-	-	-	yes	yes	yes	-
	H.264	-	-	-	-	-	-	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	Live/Playback(Receive)	Live/Playback(Receive)	-	Live/Playback(Receive)
	PTZ	-	-	-	-	-	-	yes	yes	yes	yes
	VMD	-	-	-	-	-	-	yes	yes	-	yes
RTP over HTTP	-	-	-	-	-	-	yes	yes	-	yes	
WV-ASM970 (Ver19.00) Via Recorder (Discontinued model)	MJPEG	-	-	yes	-	-	yes	yes	yes	yes (Playback only)	-
	MPEG4	-	-	-	-	-	-	yes	yes	yes (Playback only)	-
	H.264	-	-	yes	-	-	yes	yes	yes	yes (Playback only)	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	Live/Playback(Receive)	-	-	Live/Playback(Receive)	Playback(Receive)	Playback(Receive)	-	Playback(Receive)
	PTZ	-	-	yes	-	-	yes	yes	yes	-	yes
	VMD	-	-	yes	-	-	yes	yes	yes	-	yes
RTP over HTTP	-	-	yes	-	-	yes	yes	yes	-	yes	
WJ-GXD400 (Ver2.21) *6 Via Recorder (Discontinued model)	MJPEG	-	-	-	-	-	-	-	yes	yes (Playback only)	-
	MPEG4	-	-	-	-	-	-	-	yes	yes (Playback only)	-
	H.264	-	-	-	-	-	-	-	yes	yes (Playback only)	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	-
	Audio*9	-	-	-	-	-	-	-	Playback(Receive)	-	Playback(Receive)
	PTZ	-	-	-	-	-	-	-	yes	-	yes
	VMD	-	-	-	-	-	-	-	yes	-	yes
RTP over HTTP	-	-	-	-	-	-	-	-	-	-	

Symbol description
 ○ : Supported
 x : Non supported
 — : Non feature

Discontinued model might have the function which doesn't work.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *8 : Supported only G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *10 : Supported G.726 or AAC.
 *11 : Supported only AAC.

	Function	WJ-HD300 (Discontinued model)
WV-ASM300 (V7.00) Via Recorder	MJPEG	-
	MPEG4	-
	H.264	-
	H.265	-
	Original	yes
	Audio	-
	PTZ	yes
	VMD	-
WV-ASM200 (V5.10) Via Recorder (Discontinued model)	MJPEG	-
	MPEG4	-
	H.264	-
	H.265	-
	Original	yes
	Audio*8	-
	PTZ	yes
	VMD	-
WV-ASM100 (Ver8.00) Via Recorder (Discontinued model)	MJPEG	-
	MPEG4	-
	H.264	-
	H.265	-
	Original	yes
	Audio*8	-
	PTZ	yes
	VMD	-
WV-ASM970 (Ver19.00) (Discontinued model)	MJPEG	-
	MPEG4	-
	H.264	-
	H.265	-
	Original	yes
	Audio*8	-
	PTZ	yes
	VMD	-
WJ-GXD400 (Ver2.21) *6 (Discontinued model)	MJPEG	-
	MPEG4	-
	H.264	-
	H.265	-
	Original	yes
	Audio*9	-
	PTZ	yes
	VMD	-
RTP over HTTP	-	

Symbol description

- : Supported
- × : Non supported
- : Non feature