



Operating Instructions

i-PRO Active Guard Plug-in for Video Insight



CONTENTS

1. INTRODUCTION	2
1.1. FEATURES	2
1.2. PREFACE	4
1.3. SYSTEM OVERVIEW	4
2. i-PRO ACTIVE GUARD Extension	5
2.1. STARTUP AND TERMINATE Extension	5
2.2. SEARCH DETECTED OBJECTS	7
2.3. MONITOR VARIOUS EVENTS	31
2.4. PLAYBACK VIDEO CONTROL	45
2.5. SETTINGS	46
3. TROUBLESHOOTING	106
4. Appendices	107
4.1. Specifications	107
5. OPEN-SOURCE SOFTWARE	108

1. INTRODUCTION

1.1. FEATURES

1.1.A. Terms in use

THIS PUBLICATION IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON-INFRINGEMENT OF THE THIRD PARTY'S RIGHT.

THIS PUBLICATION COULD INCLUDE TECHNICAL INACCURACIES OR TYPOGRAPHICAL ERRORS. CHANGES ARE ADDED TO THE INFORMATION HEREIN, AT ANY TIME, FOR THE IMPROVEMENTS OF THIS PUBLICATION AND/OR THE CORRESPONDING PRODUCT (S).

1.1.B. Trademarks and registered trademarks

- Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.
- Other names of companies and products contained in these operating instructions may be trademarks or registered trademarks of their respective owners.

1.1.C. Copyright

Distributing, copying, disassembling, reverse compiling and reverse engineering of the software provided with this product are all expressly prohibited. In addition, exporting any software provided with this product violating export laws is prohibited.

1.1.D. Abbreviations

These are descriptions of the basic terms used in these operating instructions. Microsoft® Windows® are described as Windows.

1.1.E. Disclaimer of warranty

This product is designed to search/verify a specified face from database that stores face information and thumbnail images created based on faces captured by network cameras and display statistical information by operation using a client terminal or system compatible with this product. This product by itself is not designed for crime prevention. This product must not be used for any purpose that is unlawful or prohibited by any law or regulation. We are not responsible for such unlawful or infringing use of our products. In addition, our company accepts no responsibility for the following under any circumstances.

- (1) ANY DAMAGE AND LOSS, INCLUDING WITHOUT LIMITATION, DIRECT OR INDIRECT, SPECIAL, CONSEQUENTIAL OR EXEMPLARY, ARISING OUT OF OR RELATING TO THE PRODUCT.
- (2) ANY INCONVENIENCE, LOSS, OR DAMAGE CAUSED BY INAPPROPRIATE USE OR NEGLIGENT OPERATION OF THE USER.
- (3) UNAUTHORIZED DISASSEMBLE, REPAIR OR MODIFICATION OF THE PRODUCT BY THE USER.
- (4) ANY PROBLEM, CONSEQUENTIAL INCONVENIENCE, OR LOSS OR DAMAGE, ARISING OUT OF THE SYSTEM COMBINED BY THE DEVICES OF THIRD PARTY.
- (5) ANY CLAIM OR ACTION FOR DAMAGES BROUGHT BY ANY PERSON OR ORGANIZATION AS A PHOTOGRAPHED SUBJECT DUE TO VIOLATION OF PRIVACY CONCERNING A SURVEILLANCE CAMERA'S PICTURE OR SAVED DATA, FOR SOME REASON (INCLUDING USE WHEN USER AUTHENTICATION ON THE AUTHENTICATION SETTING SCREEN IS SET TO OFF), BECOMING PUBLIC OR BEING USED FOR ANY PURPOSE.
- (6) LOSS OF REGISTERED DATA CAUSED BY ANY FAILURE (INCLUDING INITIALIZATION OF THE PRODUCT DUE TO FORGOTTEN AUTHENTICATION INFORMATION SUCH AS A USERNAME AND PASSWORD).
- (7) ANY PROBLEM, DAMAGE OR COMPLAINT CAUSED BY THE OPERATION BY A MALICIOUS THIRD PARTY.


1.2. PREFACE

Setup is required before using the Extension. Please refer to i-PRO Active Guard Setup Instructions for Video Insight.

This operating manual is for the function of i-PRO Active Guard Extension.

Regarding the operation of dashboard of i-PRO Active Guard server, please refer to i-PRO Active Guard server dashboard Operating Instructions.

1.3. SYSTEM OVERVIEW



AI application or AI function on cameras transmit video stream to VI server and transmit Best shot images and meta data to i-PRO Active Guard server.

i-PRO Active Guard server stores those data and also generates alarm when face, people, vehicle, license plate, code or container code is matched to watchlist.


i-PRO Active Guard Plug-in or i-PRO Active Guard Extension (hereinafter referred to as “Extension”) which is the Extension for VI Monitor can search Best shot images, register watchlist, show live video, recorded video, and alarm.

By visualizing statistical data from AI applications on the web browser, it can also be used for business intelligence.

2. i-PRO ACTIVE GUARD EXTENSION


2.1. STARTUP AND TERMINATE EXTENSION

Extension has two functions as below.



i-PRO Active Guard Search

By using various features, enables to search Best shots of objects such as people, face, and vehicle that AI camera recognize.




i-PRO Active Guard Event

Enable to monitor live events that AI cameras recognize. Detected past events can be searched.


2.1.1. Start-up Extension

To open Extension, start-up VI Monitor and log in first.


For more detail about VI Monitor, refer to the VI Monitor user manual.




If you completed installation of the Extension, you can find the Application Extensions as below.



To start-up i-PRO Active Guard Search, click the Extension icon.




To start-up i-PRO Active Guard Event, click the Extension icon.



2.1.2. Terminate Extension

To terminate i-PRO Active Guard Search or i-PRO Active Guard Event, just close the workspace.



2.2. SEARCH DETECTED OBJECTS


Using i-PRO Active Guard Search, you can quickly find thumbnails of AI Camera detected objects including person, vehicle, and face.

2.2.1. UI Component

i-PRO Active Guard Search has three main parts such as search filter pane, search result pane and thumbnail detail pane, also has watchlists menu and other settings.

2.2.1.1. Overview

In this section, it describes the elements that compose the recording search.



Search filter pane	Date/Time filter	Search result pane
		Start time and end time for search objects.
		If Time slot is checked, only the time slot from Start time to End time is searched.
		Ex) date 3/10 – 3/14 Start time : 8:00 AM End time : 8:00 PM
		-Time slot is not checked: 3/10 8:00 AM – 3/14 8:00 PM
		-Time slot is checked : 3/10 8:00 AM – 3/10 8:00 PM 3/11 8:00 AM – 3/11 8:00 PM 3/12 8:00 AM – 3/12 8:00 PM 3/13 8:00 AM – 3/13 8:00 PM 3/14 8:00 AM – 3/14 8:00 PM

	Search only within	Select from Past 24 hours/Past week/Past month/None. - When selecting other than None, Date/Time filter are ignored. - When specify Date/Time filter, this setting will automatically become None.
	Cameras filter	Specify AI Cameras for search objects.
	Region of interest	Specify areas for search objects. * Only Faces, People, and Vehicles support combined searches.
	People filter	Specify personal features such as gender, age, hair color, etc.
	Vehicle filter	Specify vehicle features such as type, color, etc.
	Face filter	Specify face image from watchlist or upload photo.
	LPR filter	Specify license plate and features such as type, color, etc. of license plate.
	OCR filter	Specify OCR Code.
	Container filter	Specify Container code, Size code and features such as Owner country, etc. of Container.
	Save filters	Save filter settings with name up to 12.
	Clear	Clear filter settings.
	Search	Start thumbnail search.
Search result pane	Sort	Sort search results by descending, ascending and analysis score.
	Display mode	List or Timeline can be changed for result. * Timelines are supported only if there is one type of search filter.
	Zoom in/out	Zoom in and out thumbnail results area.
	Detected thumbnail	Click and open thumbnail detail pane. Right click to perform the following operations. - Save the image - Export video clip - Same operation as Action buttons. For Action buttons, see 2.2.1.3. * Up to 10 images and videos can be saved simultaneously by selecting multiple thumbnails using the "Ctrl" or "Shift" keys. Action button operation is only possible when only one thumbnail is selected.
	Results count	Show the thumbnail search results count.
Thumbnail detail pane	Thumbnail detail pane	Video control, information such as camera location, analysis score and camera information. Refer to "2.2.1.3" for detail.
Set up watchlists	Faces watchlist	Setup Faces watchlist.
	People watchlist	Setup People watchlist.
	Vehicles watchlist	Setup Vehicles watchlist.
	LPR watchlist	Setup LPR watchlist.
	OCR watchlist	Setup OCR watchlist.
	Container watchlist	Setup Container watchlist.
Report	Export HTML	Export search result as HTML.
Settings	Preferences	Setup some environments for playback, event monitor etc.
	Software	A notification and pop-up will appear when the i-PRO Active Guard

update	Server or Extension are available for updates. *Only when i-PRO Active Guard servers and Extension can connect to the Internet.
Attribute Settings	Setup visibility of attributes in filter and watchlist.


2.2.1.2. About search filters

In this section, it describes search filters that can narrow the search results down.

Please refer to the documentation below regarding setup of cameras and map.
i-PRO Active Guard Setup Instructions for Video Insight.pdf


A. Camera filter

Select the cameras to be searched from the available camera list. Using Find camera by features, you can select only cameras which have specific AI capabilities.



Cameras also can be selected from map. Select target maps then select camera icons or encircle cameras by dragging your mouse. The map is optional, setup is required prior to using this function.

When you register or change the map on VMS, terminate Extension and start again.




B. Region of interest filter

With the Region of interest filter enabled, only thumbnails of the specified area will be displayed.
* Only Faces, People, and Vehicles support combined searches.


Select the camera to search from the list of available cameras and specify the area by mouse drag on the displayed image.

Up to 4 areas can be specified for each camera.
To delete the area, press the "Clear the area" button.



Note:


- The thumbnail of the search result is the clearest image of the detection target while he is moving in the view angle. They may not be images within the area specified in this setting.



- If you change the resolution of the camera used in this filter, re-set the region of interest.


C. People filter

With the People filter enabled, only the thumbnails are shown which AI Camera with people detection app detected.



Also using filter panel, you can apply the search condition.



Features and controls	Description
	Uploading people picture If picture is uploaded, features are automatically detected.
Gender	Male, Female
Age	Child (0~10), Young Adult (11~20), Adult (21~60), Senior (61+)
Hair type	Long-hair, Short-hair
Hair color	Black, Gray, White, Brown, Gold
Hat / Helmet	Hat / Helmet, No Hat / No Helmet
Top type	Short-sleeves, Long-sleeves
Top color	Black, Gray, White, Brown, Orange, Yellow, Green, Blue, Purple, Pink, Red
Bottom type	Long, Short
Bottom color	Black, Gray, White, Brown, Orange, Yellow, Green, Blue, Purple, Pink, Red
Sunglasses	Sunglasses, No Glasses
Beard	Beard, No Beard
Mask	Mask, No Mask
Bag	Bag, No Bag
Bag color	Black, White, Brown, Orange, Yellow, Green, Blue, Purple, Pink, Red
Shoes color	Black, White, Brown, Yellow, Green, Blue, Red
Moving Direction	Up, Up right, Right, Down right, Down, Down left, Left, Up left
Additional filters	Recognizable face can only show person thumbnails with clarify face. <u>Color image only</u>
	Note: <ul style="list-style-type: none"> Black & white images may show in the search results even if only Color image only is specified.
Threshold	There are Low, Average and High.
Exclude searched color	If this is selected, the color will exclude from search results.
Include similar color	If this selected, the color similar to the specified color will be automatically selected.


Note:

- If the specified color does not appear in the search results, it may be displayed in the search results by selecting and searching for the following similar colors together.


Color to be searched	Similar color (The order is similar from the left)
Black	Gray
Brown	White, Yellow, Orange
White	Gray, Blue, Brown, Yellow, Orange
Gray	Black, White, Blue
Green	Blue, Black, Yellow
Red	Orange, Pink
Blue	Green, Black, Purple
Yellow	Green, White, Brown, Orange
Orange	Red, Brown, Yellow
Purple	Pink, Blue, Black
Pink	Red, Purple


D. Vehicle filter

With the Vehicle filter enabled, only the thumbnails are shown which AI Camera with vehicle detection app detected.



Also using filter panel, you can apply the search condition.



Features and controls	Description
	Uploading vehicle picture If picture is uploaded, features are automatically detected.
Type	Truck, Bus, SUV, Van, Sedan, Pickup Truck, Two-Wheel
Color	Black, Brown, White, Gray, Red, Blue, Yellow, Green, Purple, Pink

Moving Direction	Up, Up right, Right, Down right, Down, Down left, Left, Up left
Additional filters	Color image only
<hr/>	
Note:	
<ul style="list-style-type: none"> Black & white images may show in the search results even if only Color image only is specified. 	
Threshold	There are Low, Average and High.
Include similar color	If this selected, the color similar to the specified color will be automatically selected.

Note:


- If the specified color does not appear in the search results, it may be displayed in the search results by selecting and searching for the following similar colors together.

Color to be searched	Similar color (The order is similar from the left)
Black	Gray
Brown	Gray, White
White	Gray, Blue, Brown, Yellow
Gray	Black, White, Blue
Green	Blue, Black, Yellow
Red	Pink
Blue	Green, Black, Purple
Yellow	Green, White, Brown
Purple	Pink, Blue, Black
Pink	Red, Purple

E. Face filter

With the Face filter enabled, only the thumbnails are shown which AI Camera with face detection app detected.


Also using filter panel, you can apply the search condition.




Watchlist

Select face from watchlist and search similar face.

Click [Search watchlist] with search conditions.



Select face from search result.




Note:

- Up to 1,000 watchlists can be shown at the same time.
If your search results exceed 1000 results, please set the search filter so that the search results are less than 1000 results.
-


Upload photo

Upload image file that includes face and search similar faces.

Click icon or drag and drop the image file.




When face is detected from the image, select face and click OK.




F. LPR Filter

With the LPR filter enabled, only the thumbnails are shown which license plate detection app detected.



Also using filter panel, you can apply the search condition.



Features and controls	Description
License plate	Specify a License plate number. Note: <ul style="list-style-type: none"> Use '%' for wild card search (Example: for plates starting with 'A,' enter 'A%.')
Country	Specify the country or ADR.
State *1	Specify the state.
Moving Direction	Towards/in, Away/out, Stopped.
Type	Car, Van, Mini-Van, SUV, Truck, Bus, Pickup Truck, Motorcycle.
Color	Black, Gray, White, Beige, Brown, Orange, Golden, Yellow, Green, Blue, Purple, Red.
Brand	Specify the Brand.
Model *2	Specify the model.
Additional filters	Color image only. Note: <ul style="list-style-type: none"> Black & white images may show in the search results even if only Color image only is specified.

*1 : State is displayed when Country is set to "United States" or "Australia".


*2 : Model is displayed after setting Brand.

Note:


- LPR setting items differ between V1.60 or earlier and V1.70 or later. If upgrade to V1.70 or later, the previous functions will no longer be available.

G. OCR Filter

With the OCR filter enabled, only the thumbnails are shown which VaxOCR GENESIS app detected.




Also using filter panel, you can apply the search condition.



Features and controls	Description
OCR Code	Specify OCR Code. Note: <ul style="list-style-type: none">Use '%' for wild card search (Example: for OCR Code starting with 'A,' enter 'A%.')
Additional filters	Color image only. Note: <ul style="list-style-type: none">Black & white images may show in the search results even if only Color image only is specified.

H. Container Filter

With the Container filter enabled, only the thumbnails are shown which VaxOCR CONTAINER app detected.



Also using filter panel, you can apply the search condition.

Refine filters [X]

Container code ⓘ | Enter container code

Size code ⓘ | Enter size code

Owner country | Select owner country... [v]

Owner city | Select owner city... [v]

Owner company | Select owner company... [v]

Additional filters


Color image only

Clear all filters

Features and controls	Description
Container code	Specify Container code. Note: <ul style="list-style-type: none">Use '%' for wild card search (Example: for container code starting with 'A,' enter 'A%.')
Size code	Specify the size code. Note: <ul style="list-style-type: none">Use '%' for wild card search (Example: for size code starting with 'A,' enter 'A%.')
Owner country	Specify the owner country.
Owner city	Specify the owner city.
Owner company	Specify the owner company.
Additional filters	Color image only. Note: <ul style="list-style-type: none">Black & white images may show in the search results even if only Color image only is specified.

2.2.1.3. About thumbnail detail pane

Selecting one of thumbnail search results, you can take various actions such as playback video, check analysis result and register the thumbnail to watchlist and so on. The additional information about playback controls, please refer to 2.4 PLAYBACK VIDEO CONTROL.




- **Information**

You can see more detailed information such as detected place, the analysis information, and camera information.

A. **Map**


The camera which sent the thumbnail is displayed with map. You can see the camera location on map.

When you register or change the map on VMS, terminate Extension and start again.



B. **Detected info**

Analysis score information for each feature is displayed.




C. Camera info


Camera information is displayed.

Map	Detected info	Camera info
		Manufacturer Panasonic Model Panasonic WV-S2236L IPAddress 192.168.0.31 Camera name Corridor3 Server Dev Meeting CameraID 157441743 WebAccess 192.168.0.31

- Action buttons

This allows user quick operation such as search for similar characteristics by one click, register watchlists, and sharing other devices.



A.  Search for similar characteristics

Quick search is provided to allow for an instant search to detect high score features, which is available for person or vehicle thumbnails.

Search for exactly similar characteristics (less false result)

Selectable when the upper body in people's image is recognized.

Search by the following conditions.

- Cameras: Camera in which AI People detection is installed.
- Features : Only the features with the high score in "Detected info" of the image are used among the target features.
Target features : Gender, Age, Hair type, Hair color, Hat/Helmet, Top type, Top color, Bottom type, Bottom color, Sunglasses, Beard, Mask, Bag, Bag color, Shoes color
- Threshold: Average.

Search for similar characteristics (less missing result)

In case of people, selectable when whole body in people image is recognized.

Search by the following conditions.

- Cameras: Camera in which AI People detection is installed.
- Features : Only the features with the high score in "Detected info" of the image are used among the target features.
Target features : Top type, Top color, Bottom type, Bottom color
- Threshold: Low.

This is also applied for vehicle images.

Search by the following conditions.

- Cameras: Camera in which AI Vehicle detection is installed.
- Features : Only the features with the high score in "Detected info" of the image are used among the target features.
Target features : Type, Color
- Threshold: Low.

Search for similar face

Selectable when face in people images is recognized.

This is also applied for face image.

Search for similar images by searching for cameras that AI Face detection is installed.

Search for license plate number

Selectable when license plate number in LPR image is recognized.

Search for similar images by searching for cameras that AI License plate detection is installed.

Search for OCR code

Selectable when OCR code in OCR detection image is recognized.

Search for similar images by searching for cameras that OCR detection is installed.

Search for Container code

Selectable when Container code in Container detection image is recognized.

Search for similar images by searching for cameras that Container detection is installed.

If you want to go back to previous search results, use Latest search condition in Saved filters.

Note:


- Similar Search is not applied the Latest search condition in Saved filters.
 - In the case of live events monitor and past events search, Similar Search is performed based on the detected Watchlist conditions. Therefore, the results may differ from those of thumbnail search.
-

B. Save facial features to Registered facial detection

Register face image to watchlist. There are options either register detected face newly or add detected face to existing registered face.


In case of register as new face:

- Step1.** Select one of detected faces.
- Step2.** Click New registration button.
- Step3.** Please follow to 2.5.1. *Face Watchlist (Step2)*




In case of adding to existing registered face:

- Step1.** Select one of detected faces.
- Step2.** Search existing registered faces by using filters.
If not specify any filters, all registered faces are displayed.
- Step3.** Select one of searched faces.
- Step4.** Click Add registration button.
- Step5.** Please follow to 2.5.1. *Face Watchlist (Step2)*




Note:

- Face can be registered up to 30,000.
Up to 1,000 faces can be shown at the same time.
If your search results exceed 1000 results, please set the search filter so that the search results are less than 1000 results.
 - Recommended with of face for registration is more than 75 pixels. When the selected face is under the value, message is shown.
-


C.  Save person's characteristics to Registered Person detection

Register personal features to watchlist. High score items are registered.

Some basic information can be entered from here.




The screenshot shows a 'New Registration for watchlist' form for a person. It includes a small profile picture of a man. To the right of the picture, there are fields for personal characteristics: Gender: male, Age: 21-60, Hair: short-hair, Top: short-sleeves, Bottom: long, and Sunglasses: none. Below this is a dropdown menu for 'i-PRO Active Guard server' set to 'i-PRO Active Guard 150'. The 'Name' field contains 'Suspicious people 01'. There is an unchecked checkbox for 'Validity period'. A large empty text area is provided for 'Remarks'. At the bottom, there are radio buttons for 'Matching' set to 'On', and a 'Register' button.

D.  Save vehicle's characteristics to Registered Vehicle detection

Register vehicle features to watchlist. High score items are registered.


Some basic information can be entered from here.



The screenshot shows a 'New Registration for watchlist' form for a vehicle. It includes a small image of a dark SUV. To the right of the image, there is a dropdown menu for 'Vehicle type' set to 'suv'. Below this is a dropdown menu for 'i-PRO Active Guard server' set to 'i-PRO Active Guard 150'. The 'Name' field contains 'Suspicious vehicle 01'. There is an unchecked checkbox for 'Validity period'. A large empty text area is provided for 'Remarks'. At the bottom, there are radio buttons for 'Matching' set to 'On', and a 'Register' button.


E.  Analysis

Detects faces, people, and vehicles from playback video. From the detected objects, you can register it to the watchlists or apply results to filter.




F.  Save license plate number to LPR detection

Register license plate features to watchlist. License plate, country, state are registered. Some basic information can be entered from here.




G.  Save OCR Code to OCR detection


Register OCR Code to watchlist.
Some basic information can be entered from here.



The screenshot shows a dark-themed dialog box titled "New Registration for OCR Code". It contains the following fields: "I-PRO Active Guard server" (dropdown menu with "192.168.0.229" selected), "OCR Code" (text input with "ABC123"), "Group" (dropdown menu with "Select group..."), "Validity period" (checkbox), and "Remarks" (text area). At the bottom, there are "Cancel" and "Save" buttons.





H.  Save container code to Container detection





Register Container features to watchlist.
Container code, Size code, Owner country, Owner city,
Owner company are registered.
Some basic information can be entered from here.



The screenshot shows a dark-themed dialog box titled "New Registration for Container code". It contains the following fields: "I-PRO Active Guard server" (dropdown menu with "192.168.0.229" selected), "Container code" (text input with "ABC123"), "Size code" (text input), "Owner country" (dropdown menu with "Select owner country..."), "Owner city" (dropdown menu with "Select owner city..."), "Owner company" (dropdown menu with "Select owner company..."), "Group" (dropdown menu with "Select group..."), "Validity period" (checkbox), and "Remarks" (text area). At the bottom, there are "Cancel" and "Save" buttons.

Action buttons can be utilized depending on type of objects.


	Search for similar characteristics 	Save facial features to Registered facial detection 	Save person's characteristics to Registered Person detection 	Save vehicle's characteristics to Registered vehicle detection 
Face filter	Yes	Yes	No	No
People filter	Yes	Yes	Yes	No
Vehicle filter	Yes	No	No	Yes
LPR filter	Yes	No	No	No
OCR filter	Yes	No	No	No
Container filter	Yes	No	No	No

	Detecting objects from video 	Save license plate number to LPR detection *1 	Save OCR Code to OCR detection 	Save Container code to Container detection 
Face filter	Yes	No	No	No
People filter	Yes	No	No	No
Vehicle filter	Yes	No	No	No
LPR filter	Yes	Yes	No	No
OCR filter	Yes	No	Yes	No
Container filter	Yes	No	No	Yes

*1 In case of the thumbnail doesn't have license plate number information, button does not display.
 Ex) In i-PRO Active Guard Sever settings,
 [Configure System] - [Database] – [Storing data] “License plate number” is unchecked case.

2.2.2. Thumbnail search

The following steps provide basic operation for using the thumbnail search. The search filter can find objects that you want to find out from a lot of recorded thumbnails. Then you can take next action such as playback the video, save the picture, and register to watchlist, etc.



Step 1

Specify the start time and end time for search objects.

Step 2

Select AI Cameras. Select the Available Cameras option to search for a specific camera by name.

Step 3

Set up search filters. If no filters are selected, all objects detected by AI Cameras will be displayed.

Step 4

Click "Search."

2.3. MONITOR VARIOUS EVENTS

Using i-PRO Active Guard Event, you can watch what events occurred in the real time and also can find past events whatever you want to search.

2.3.1. UI Component


i-PRO Active Guard Event as two tabs that are Live events tab and Past events tab.


2.3.1.1. Overview

Live events tab and Past events tab are made from almost same UI components.

In this section, it describes the elements that compose the Live events tab and Past events tab.

Each tab is composed 4 main parts such as event filter pane, event list pane, event detail pane and settings.





Past events tab

Event filter pane	Switch tab (Live/Past events tab)	Switch views between monitoring events mode or search events in the past mode.
	Date/Time (Past events tab)	Start time and end time for search objects. This is used for only Past events tab.
	Search only within (Past events tab)	Select from Past 24 hours/Past week/Past month/None. - When select other than None, Date/Time filter are ignored. - When specify Date/Time filter, this setting will automatically become None.
	Cameras (Live/Past events tab)	Specify AI Cameras displaying events.
	Registered Face detection (Live/Past events tab)	Show face matching events.
	Registered People detection (Live/Past events tab)	Show personal features matching events.
	Registered Vehicle detection (Live/Past events tab)	Show vehicle features matching events.
	Sound (Live/Past events tab)	Show sound detection events.
	AI-VMD (Live/Past events tab)	Show AI VMD detection events.
	VCA (Live/Past events tab)	Show Video Content Analytics (VCA) events.
	Access Control (Live/Past events tab)	Show access control door events.
	AI Scene change (Live/Past events tab)	Show AI Scene change detection events.
	LPR	Show below events. *1

(Live/Past events tab)	<ul style="list-style-type: none"> - License plate detection events. - Registered license plate detection events. - Unregistered license plate detection events. - Registered advanced vehicle detection events.
------------------------	--

OCR (Live/Past events tab)	Show below events. *2 <ul style="list-style-type: none"> - Code detection events. - Registered code detection events. - Unregistered code detection events.
-------------------------------	---

Container (Live/Past events tab)	Show below events. *3 <ul style="list-style-type: none"> - Container detection events. - Registered container detection events. - Unregistered container detection events. - Registered advanced container detection events.
-------------------------------------	---

Save filters (Past events tab)	Save filter settings with name up to 12.
-----------------------------------	--

Clear	Clear filter settings.
-------	------------------------

Apply	Activate filter settings.
-------	---------------------------

Events list pane

Note:

- In Live events tab, while opening this view, the list is automatically updated if any event happens.
- In Past events tab, the results of search from recorded events are listed.

Current Date/Time (Live events tab)	Current date and time which is setting on PC.
--	---

Export (Live/Past events tab)	Export event list as CSV or HTML.
----------------------------------	-----------------------------------

Date/Time column (Live/Past events tab)	Detected date and time which is setup at camera.
--	--

Camera column (Live/Past events tab)	Camera name.
---	--------------

Event column (Live/Past events tab)	Event type.
--	-------------

Detected column (Live/Past events tab)	Detected thumbnail which is captured by camera.
---	---

Registered column (Live/Past events tab)	Registered images or names in watchlist. Registered column is only for matching event.
---	---

Similarity column	Detected score.
-------------------	-----------------

Details column (Live/Past events tab)	Object type, detected area, detected score, etc. Displayed information depends on event type.
--	---

Status column (Live/Past events tab)	Status for each event. New (Default)/Viewed/Dismissed Status can be changed by right click. You can select multiple events using “ctrl” or “shift.” Up to 50 events can be changed at the same time.
---	--

Comments column (Live/Past events tab)	Any comment up to 64 characters can be input.
---	---

Live column (Live/Past events tab)	Open live camera window.
---------------------------------------	--------------------------

Detected thumbnail (Live/Past events tab)	Click and open event detail pane. Right click to perform the following operations. <ul style="list-style-type: none"> - Save the image
--	--

		- Export video clip - Same operation as Action buttons. For Action buttons, see 2.2.1.3.
	Result count (Past events tab)	Show the events search results count.
	Load More (Past events tab)	Load next 100 events.
Event detail pane	Thumbnail detail pane (Live/Past events tab)	Video control pane, information such as camera location, analysis score and camera information.
Set up watchlists	Faces watchlist (Live/Past events tab)	Setup Faces watchlist.
	People watchlist (Live/Past events tab)	Setup People watchlist.
	Vehicles watchlist (Live/Past events tab)	Setup Vehicles watchlist.
	LPR watchlist (Live/Past events tab)	Setup LPR watchlist.
	OCR watchlist (Live/Past events tab)	Setup OCR watchlist.
	Container watchlist (Live/Past events tab)	Setup Container watchlist.
Display mode	Display mode (Past events tab)	List or Timeline can be changed for result. * Timelines are supported only if there is one type of search filter.
Settings	Preferences	Setup some environments about playback, event monitor etc.
	Attribute Settings	Setup visibility of attributes in filter and watchlist.

*1 LPR events summary

- License plate detection
Notifies all detected license plates received by the i-PRO Active Guard server.
Set "Notify all detected objects - License plates" on "Register VMS" in WEB setting is required.
- Registered license plate detection
Notification when the license plate number registered in the lpr watch list matches.
The following settings are required on "LPR watchlist setup."
•Set "Detect by vehicle appearance only" to "Off."
•Set "Trigger" to "When license plates in the selected group was detected".
- Unregistered license plate detection
Notification when the license plate number unregistered in the lpr watchlist detected.
The following settings are required on "LPR watchlist setup."
•Set "Detect by vehicle appearance only" to "Off."
•Set "Trigger" is set to "When other than license plates in the selected group was detected".
- Registered advanced vehicle detection
Notification when the vehicle appearance in the lpr watch list matches.
The following settings are required on "LPR watchlist setup."
•Set "Detect by vehicle appearance only" to "On."

*2 OCR events summary

- Code detection
Notifies all detected code received by the i-PRO Active Guard server.

- Set "Notify all detected objects - Code" on "Register VMS" in WEB setting is required.
- Registered code detection
 - You will be notified when you set OCR watchlist to below settings on Extension.
 - Set "Trigger" to "When OCR Code in the selected group was detected."
- Unregistered code detection
 - You will be notified when you set OCR watchlist to below settings on Extension.
 - Set "Trigger" to "When other OCR Code which is not in the selected group was detected."

*3 Container events summary

- Container detection
 - Notifies all detected container received by the i-PRO Active Guard server.
 - Set "Notify all detected objects - Container" on "Register VMS" in WEB setting is required.
- Registered container detection
 - Notification when the container registered in the Container watchlist matches.
 - The following settings are required on "Container watchlist setup."
 - Set "Detect by container details" to "Off."
 - Set "Trigger" to "When Container in the selected group was detected".
- Unregistered container detection
 - Notification when the container unregistered in the Container watchlist detected.
 - The following settings are required on "Container watchlist setup."
 - Set "Detect by container details" to "Off."
 - Set "Trigger" is set to "When other container which is not in the selected group was detected".
- Registered advanced container detection
 - Notification when the container details in the Container watchlist matches.
 - The following settings are required on "Container watchlist setup."
 - Set "Detect by container details" to "On."

2.3.1.2. About Event filter

In this section, it describes about each events filter. For more information about the Camera filter, please refer to 2.2.1.2.



A. Registered Face detection

Being this filter enabled, the matching faces with Face watchlist are shown.




If you want to display a specific face, you can use Watchlist filter. Search registered faces by specifying search conditions then select one of results.

If you want to clear after setting, right click on the face image in the left panel then select Clear.




It is also possible to display by category registered in Watchlist.




B. Registered People detection

With this filter enabled, all the matching people with People watchlist are shown.




Also using filter panel, you can select specific registered items from people watchlist.




C. Registered Vehicle detection

With this filter enabled, all the matching vehicle with vehicle watchlist are shown.




Also using filter panel, you can select specific registered items from vehicle watchlist.




D. Sound

With this filter enabled, all the detected sound events are shown.




Also using filter panel, you can select specific sound events to show.




E. AI-VMD

With this filter enabled, all the detected AI-VMD events are shown.




Also using filter panel, you can select specific Detected type and Object type to show.

By using On-site Learning application, you can increase any Object type. Please refer to the manual for details about On-site Learning application.



F. AI Scene change

With this filter enabled, all the detected scenes change detection events are shown.




G. LPR

With this filter enabled, all the matching License plate with LPR watchlist and all detected license plates are shown.



i-PRO Active Guard Server configuration is required to display all detected license plates see "i-PRO Active Guard Setup Instructions"
- 4.3.6 Notification to VMS Server(optional)

Also using filter panel, you can select specific registered items from LPR watchlist




Note:

- LPR setting items differ between V1.60 or earlier and V1.70 or later. If upgrade to V1.70 or later, the previous functions will no longer be available.


H. OCR

With this filter enabled, all the matching code with OCR watchlist and all detected code are shown.




i-PRO Active Guard Server configuration is required to display all detected codes see "i-PRO Active Guard Setup Instructions"
- 4.3.6 Notification to VMS Server(optional)

Also using filter panel, you can select specific registered items from OCR watchlist



I. Container

With this filter enabled, all the matching container code with Container watchlist and all detected containers are shown.



i-PRO Active Guard Server configuration is required to display all detected containers. see "i-PRO Active Guard Setup Instructions"


- 4.3.6 Notification to VMS Server(optional)

Also using filter panel, you can select specific registered items from Container watchlist




J. VCA

With this filter enabled, all the VCA events are shown.




Also using the filter panel, you can select a specific camera, then the analytics available to that camera model.




K. Access Control

With this filter enabled, all door Access Control events are shown.



Also using the filter panel, you can select between Access alarms and door Access entry.







2.3.1.3. About event detail pane





By selecting one of the events from the list, you can take various actions such as playback video, open live camera, and register the thumbnail to watchlist and so on. Please refer to the section of 2.2.1.3. About thumbnail detail pane regarding of each function.

Details for playback control, please refer to 2.4. PLAYBACK VIDEO CONTROL.

Action buttons can be utilized depending on type of events.

	Search for similar characteristics 	Save facial features to Registered facial detection 	Save person's characteristics to Registered Person detection 	Save vehicle's characteristics to Registered vehicle detection 
Registered face detection filter	Yes	Yes	No	No
Registered people detection filter	Yes	No	No	No
Registered vehicle detection filter	Yes	No	No	No
AI-VMD	No	No	No	No
Sound	No	No	No	No
LPR	Yes	No	No	No
OCR	Yes	No	No	No
Container	Yes	No	No	No
VCA	Yes	No	No	No
Access Control	Yes	No	No	No
AI Scene change	Yes	No	No	No

(Continued on next page)

	Detecting objects from video 	Save license plate number to LPR detection *1 	Save OCR Code to OCR detection 	Save Container code to Container detection 
Registered face detection filter	Yes	No	No	No
Registered people detection filter	Yes	No	No	No
Registered vehicle detection filter	Yes	No	No	No
AI-VMD	Yes	No	No	No
Sound	Yes	No	No	No
LPR	Yes	Yes	No	No
OCR	Yes	No	Yes	No
Container	Yes	No	No	Yes
VCA	Yes	No	No	No
Access Control	Yes	No	No	No
AI Scene change	Yes	No	No	No


*1 In case of the thumbnail doesn't have license plate number information, button does not display.
Ex) In i-PRO Active Guard Sever settings,
[Configure System] - [Database] – [Storing data] “License plate number” is unchecked case.

Information pane can be utilized depending on type of events.

	Map	Detected info (Only Past event)	Camera info
Registered face detection filter	Yes	Yes	Yes
Registered people detection filter	Yes	Yes	Yes
Registered vehicle detection filter	Yes	Yes	Yes
AI-VMD	Yes	No	Yes
Sound	Yes	No	Yes
LPR	Yes	Yes	Yes
OCR	Yes	Yes	Yes
Container	Yes	Yes	Yes
VCA	Yes	No	Yes
Access Control	Yes	No	Yes
AI Scene change	Yes	No	Yes

2.3.2. Monitor live events

The following steps provide basic operations for monitoring events basic operations for monitor events.



Step 1


All cameras are selected as default. If you want to specify cameras, you can use camera filter.

Step 2

Set up event filters. You can specify type of event by using event filters.
Not using any filters displays all detected events.


Step 3

Click Apply.



2.3.3. Search past events

The following steps provide basic operations for searching past events.



Step 1

Specify the start time and end time.

Step 2

Select AI Cameras. All AI Cameras are selected as default.

Step 3

Set up search filters. If no filters are selected, all objects detected by AI Cameras will be displayed. Available search filters include:

- Registered face detection
- Registered people detection
- Registered vehicle detection
- Sound
- AI-VMD
- AI Scene change
- LPR
- OCR
- Container
- VCA
- Access Control

Step 4


Click Search. Results are displayed as shown below.

Date / Time	Camera	Event	Detected	Registered	Details	Status	Comments	Live
1/29/2023 11:05:31 PM	192.168.0.55 - Panasonic WV-S2136L	Cross Line		—	Object type: Vehicle Detection area: 2 Detected score: N/A	New		
1/29/2023 11:03:19 PM	192.168.0.55 - Panasonic WV-S2136L	Cross Line		—	Object type: Vehicle Detection area: 2 Detected score: N/A	New		
1/29/2023 11:01:50 PM	192.168.0.55 - Panasonic WV-S2136L	Cross Line		—	Object type: Vehicle Detection area: 2 Detected score: N/A	New		
1/29/2023 11:01:05 PM	192.168.0.55 - Panasonic WV-S2136L	Cross Line		—	Object type: Vehicle Detection area: 2 Detected score: N/A	New		
1/29/2023 11:00:54 PM	192.168.0.55 - Panasonic WV-S2136L	Cross Line		—	Object type: Vehicle Detection area: 2 Detected score: N/A	New		
1/29/2023 11:00:16 PM	192.168.0.55 - Panasonic WV-S2136L	Loitering		—	Object type: Vehicle Detection area: 1 Detected score: N/A	New		
1/29/2023 10:58:14 PM	192.168.0.55 - Panasonic WV-S2136L	Cross Line		—	Object type: Vehicle Detection area: 2 Detected score: N/A	New		













Load More
100 of 255 results

2.4. PLAYBACK VIDEO CONTROL


When viewing video on a thumbnail/event detail pane, the following a set of video controls appear.



The video operation controls are described below.


		<i>In pause mode, forward and backward navigation through each frame on the timeline.</i>
		Fast playback or fast rewind the video recording.
		Play or pause the video recording.
		In play mode, navigate previous and next motion events on the timeline.
		Export video from selected the thumbnail.
		View in New Window
		Take a snapshot and save as file or clipboard.
		Add video to bookmark or open bookmark manager.

It displays 1 camera view and also can switch to 4 cameras view. To switch these views, select view mode from left at bottom menu.



In 4 cameras view mode, the left on the top view is fixed view as original. It can't be changed.

In the other views, you can drag and drop cameras from the cameras list on the left side panel. These views start video from the time of timestamp of original thumbnail.



2.5. SETTINGS

This section describes how to manage the watchlist and preferences.

To open these settings, click Set up watchlists button for Faces watchlist, People watchlist, Vehicles watchlist, LPR watchlist, OCR watchlist, Container watchlist, or click settings icon for Preferences or Attribute Settings.




2.5.1. Face Watchlist

This section describes the operation of add, edit, and delete.

If you don't have a permission to access the watchlist or your camera configuration has no AI-Camera which installed face detection application, then this function is not available.

- **Get registered watchlist**

To get registered faces watchlist, click "Search watchlist" button by using filter.




Note:

- Face can be registered up to 30,000.
Up to 1,000 faces can be shown at the same time.
If your search results exceed 1000 results, please set the search filter so that the search results are less than 1000 results.
-

- **Add Registration**

Step 1


To register newly, click New Registration button.



Step 2


One face image must be registered at least.

Click  icon then select the file you want to use.




Step 3

Then analyzing will begin and the detected faces are displayed. If there are some people on the file, all detected faces are displayed. Select a face (yellow area in below) then white frame will be displayed around the detected face.




By pressing the "Image guidelines" button, you can see a sample of face image quality suitable for registration.



Recommended width of face for registration is more than 75 pixels. When the selected face is under the value, message is shown.

Step 4

Input other information then click Save. i-PRO Active Guard server and First Name or Last Name is required.



The screenshot shows a dark-themed 'Information' dialog box with the following fields and controls:

- Representative face image:** A row of four images. The first two show a woman's face, the third is a question mark icon, and the fourth is a plus sign icon.
- i-PRO Active Guard server:** A dropdown menu currently showing '<New Server>'. Below it is a search input field.
- First name:** A text input field containing 'Emma'.
- Last name:** An empty text input field.
- Age:** An empty text input field.
- Gender:** Three radio buttons: 'Male', 'Female', and 'Arbitrary' (which is selected).
- Remarks:** A large empty text area.
- Matching:** Two radio buttons: 'On' (selected) and 'Off'.
- Category:** Two empty text input fields.
- Alarm threshold:** A slider control with a numeric input set to '50', and labels for 'Low' and 'High'. The slider is positioned towards the 'Low' end.
- Validity period:** An unchecked checkbox.
- Buttons:** 'Cancel' and 'Save' buttons at the bottom.

Note:

- The Matching enabled starts matching process.
 - The Alarm threshold low means missing faces will be decreased but false alarm may be increase. High means false alarm will be decreased but missing faces may be increased. It can be set for individual person. Please adjust according to your environment and registered face image.
 - In Validity Period, two expiration dates can be set.
Disable matching: After the expiration date, this person's face will not be detected.
Delete registration: After the expiration date, we will delete the registration itself of this person.
-


- **Edit Registration**

Step 1

First, find registered face you want to edit the information.
Registered faces can be searched by using filter.

Step 2

Select one of faces from search results, then click Change button.



Step 3

Edit any information then click Save.


The screenshot shows a dark-themed 'Information' dialog box. At the top, it says 'Representative face image' and shows two face images of a woman, with a third icon containing a question mark and a plus sign. Below this, there are several fields: 'i-PRO Active Guard server' with a dropdown menu showing '<New Server>', 'First name' with the text 'Emma', 'Last name', 'Age', 'Gender' with radio buttons for 'Male', 'Female' (selected), and 'Arbitrary', 'Remarks', 'Matching' with radio buttons for 'On' (selected) and 'Off', 'Category' with two input fields, 'Alarm threshold' with a slider set to 50 between 'Low' and 'High', and 'Validity period' with a checkbox. At the bottom, there are 'Cancel' and 'Save' buttons, with the 'Save' button highlighted by a yellow rectangle.

Note:

- The Matching enabled starts matching process.
 - The Alarm threshold low means missing faces will be decreased but false alarm may be increase. High means false alarm will be decreased but missing faces may be increased. It can be set for individual person. Please adjust according to your environment and registered face image.
 - In Validity Period, two expiration dates can be set.
Disable matching: After the expiration date, this person's face will not be detected.
Delete registration: After the expiration date, we will delete the registration itself of this person.
-

- **Delete Registration**

To delete registered face, right click registered face then click Delete.




- **Copy watchlists to other server**

All registered face watchlists in i-PRO Active Guard server can be copied to another server. The copy source server and the copy destination server must be registered in Extension in advance.


Step 1

Click [Copy to other server]





Step 2

Select Copy from and click [Get] button, select the face image you want to copy from the registered face images, specify the copy destination server, and click the [Copy] button.



Note:

- You can set filters and click the [Get] button to narrow down getting results.
- The maximum number of face images that can be retrieved and copied at one time is 1000; if the number exceeds 1000, please use filters to narrow down your search.



Step 3

When the copy is completed, the face image will be registered in the copy destination server.

Note:

- If the upper limit of 30,000 is already registered for the face image in the copy destination, copying will not be performed.
If the copy destination has the same ID, the face image will be skipped.


2.5.2. People Watchlist

This section describes the operation of add, edit, and delete.

If you don't have a permission to access the watchlist or your camera configuration has no AI-Camera which installed people detection application, then this function is not available.


- **Add Registration (To manually select attributes)**

To register a person's appearance to the watchlist, navigate to Set up watchlists button > People tab.




Registered items are listed on the left side, or it uploads the people picture.


To add new item, click "+ Create a new watchlist" button then select appearance items.




- **Add Registration (To select attributes from an image)**

This procedure automatically selects and registers attributes from an image.


To select attributes from a people image, select the image to be registered from  icon.



Select the people you want to register from the detected list.



Make sure the attribute is automatically selected, and then click "Save watchlist".




Note:

- Up to 12 people watchlist can be registered.
 - Basically, only one item can be selected from each category. This is because many items register would affect false positives.
Color specification except for bag color allows specifying multiple items.
 - In Validity Period, two expiration dates can be set.
Disable matching: After the expiration date, this person's face will not be detected.
Delete registration: After the expiration date, we will delete the registration itself of this person.
 - It is impossible to register to multiple i-PRO Active Guard server at the same time.
-


- **Edit Registration**

To edit a registered person's appearance, select one of registered item then change selected appearance item.



- **Delete Registration**

To delete a registered person's appearance, right click one of registered item.




2.5.3. Vehicle Watchlist

This section describes the operation of add, edit, and delete.

If you don't have a permission to access the watchlist or your camera configuration has no AI-Camera which installed vehicle detection application, then this function is not available.


- **Add Registration (To manually select attributes)**

To register a vehicle's appearance to the watchlist, navigate to Set up watchlists button > Vehicle tab.



Registered items are listed on the left side, or it uploads the vehicle's picture.


To add new item, click "+ Create a new watchlist" button then select appearance items.



- **Add Registration (To select attributes from an image)**

This procedure automatically selects and registers attributes from an image.

To select attributes from a vehicle image, select the image to be registered from  icon.




The following procedure is the same as when registering people watchlists, see 2.5.2.

Note:

- Up to 12 vehicle watchlist can be registered.
 - Only one item can be selected from each category. This is because many items register would affect false positives.
 - In Validity Period, two expiration dates can be set.
Disable matching: After the expiration date, this person's face will not be detected.
Delete registration: After the expiration date, we will delete the registration itself of this vehicle.
 - It is impossible to register to multiple i-PRO Active Guard server at the same time.
-


- **Edit Registration**

To edit a registered vehicle appearance, select one of registered item then change selected appearance item.



- **Delete Registration**

To delete a registered vehicle appearance, right click one of registered item.




2.5.4. LPR Watchlist

This section describes the operation of add, edit, and delete.

If you don't have a permission to access the watchlist or your camera configuration has no AI-Camera which installed License plate detect application, then this function is not available.

- **Add Registration**

To register a vehicle's appearance or License plate to the watchlist, navigate to set up watchlists button > LPR tab.




Registered items are listed on the left side.

To add new item, click "+ Create a new watchlist" button.

- **Add Registration (vehicle appearance)**

Set "Detect by vehicle appearance only" to "On," then select appearance items.




- **Add Registration (License Plate Group)**

Set “Detect by vehicle appearance only” to “Off,” then select license plate group and Trigger.

Note:

- License plate numbers cannot be set directly in the watchlist. Please register the license plate to license plate group. About license plate group, please see 2.5.4.1. About license plate, please see 2.5.4.2.




The following procedure is the same as when registering people watchlists, see 2.5.2.

Note:

- There is no limitation to the number of license plate and license plate group (*depending on the system design). Up to 12 LPR watchlist can be registered.
 - Only one item can be selected from each category. This is because many items register would affect false positives.
 - In Validity Period, two expiration dates can be set. Disable matching: After the expiration date, this LPR watchlist will not be detected. Delete registration: After the expiration date, this LPR watchlist will be deleted.
 - It is impossible to register to multiple i-PRO Active Guard server at the same time.
-


- **Edit Registration**

To edit a registered watchlist, select one of registered item then change selected item.



- **Delete Registration**

To delete a registered vehicle appearance, right click one of registered item.




2.5.4.1. Manage License plate group

- **Add Registration**


Step 1

In LPR Watchlist Setup screen, select server from “Search by i-PRO Active Guard Server.” Click “+ Manage license plate.”




Step 2

Click “Manage groups.”



Step 3


Input group name, and "+ Add" button.



Step 4

Click "Save group" button.

After setting, please close with "x".



- **Edit Registration**

Step 1

Select one of group name from list, then edit group name and click Update button.

Step 2

Click “Save group” button.

- **Delete Registration**

Step 1


Select one of group name from list, then click Remove button.

Step 2

Click “Save group” button.

Note:

- If delete or edit a group is fail, make sure the target group is not in your LPR watchlists.




2.5.4.2. Manage License plate

- **Get registered list**


Step 1

In LPR Watchlist Setup screen, select server from “Search by i-PRO Active Guard Server.” Click “+ Manage license plate.”



Step 2

Click “Search” button by using filter.



Note:


- Up to 1,000 License plates can be shown at the same time. If your search results exceed 1000 results, please set the search filter so that the search results are less than 1000 results.

- **Add Registration**

License plate can be registered via the Action button or the Watchlist Setup screen.
For Action button, see 2.2.1.3.


Step 1

In LPR Watchlist Setup screen, select server from “Search by i-PRO Active Guard Server.”
Click “+ Manage license plate.”




Step 2

Click “+ New License plate.”



Step 3

Input information then click Save. "License plate" is required.



The screenshot shows the 'Watchlists Setup' window with the 'LPR' tab selected. A 'New license plate' dialog box is open, containing the following fields and controls:

- Owner photo:** A large dark area with a camera icon and the text 'Drag and drop image here or Upload from file'. Below it is a 'Clear photo' button and a slider control.
- i-PRO Active Guard server:** A text input field containing '192.168.0.227'.
- License plate:** A required text input field.
- Owner's first name:** A text input field.
- Owner's last name:** A text input field.
- Group:** A dropdown menu with 'Select group...'.
- Country:** A dropdown menu with 'Select country...'.
- Validity period:** A checkbox that is currently unchecked.
- Remarks:** A text input field.

At the bottom of the dialog are 'Cancel' and 'Save' buttons.

Note:

- In Validity Period, two expiration dates can be set.
Disable matching: After the expiration date, this License plate will not be detected.
Delete registration: After the expiration date, this License plate will be deleted.
-

● Edit Registration


Step 1


First, find registered license plate you want to edit the information.
Registered license plate can be searched by using Filter watchlist.

Note:


- Up to 1,000 License plates can be shown at the same time.
If your search results exceed 1000 results, please set the search filter so that the search results are less than 1000 results.

Step 2

Select one of license plate from search results, then click  button.



The screenshot shows the 'Watchlists Setup' window with the 'LPR' tab selected. On the left, there is a 'Filter watchlists' section with various search criteria. The main area displays a table of 'Registered license plates' with columns for License plate, First name, Last name, Owner photo, Group, Country, State, and Validity period. Two entries are visible: one with license plate 'ABC220' and another with 'D00215'. The 'Edit' icon (a pencil) for the first entry is highlighted with a yellow box.

License plate	First name	Last name	Owner photo	Group	Country	State	Validity period
ABC220				group1	United States	Texas	
D00215				group2	United States	California	


Step 3

Edit any information then click Save.

- **Delete Registration**

Step 1

Select check box of license plate from list, then click Delete selections button.



2.5.4.3. Export CSV of License plate

Registered License plate can be exported to CSV.


Export the following items:


- License plate
- Country
- State
- First name
- Last name

Step 1

Search “Registered license plate” you want to export by using Filter watchlists.

Step 2

Click  , then click Export CSV.



Note:

- Up to 1,000 items can be exported to a CSV file.
If your search results exceed 1000 results, please set the search filter so that the search results are less than 1000 results.
 - Export all search results to CSV, regardless of the checkboxes for each item.
-

Step 3

Specify the output destination for the CSV file and save it.

2.5.4.4. Import CSV of License plate

Register using Import the CSV file export by this Extension or VI LPR Extension.


For CSV exported by VI LPR Extension,


License Plate, First Name and Last Name are registered.

For CSV exported by this Extension,

License Plate, Country, State, First Name and Last Name are registered.

Step 1

Click  , then click Import CSV.



Step 2

Select the CSV, then click Open.

- CSV format of i-PRO Active Guard Extension is as follows.

License_plate_number	country	issuing_entity	owner_first_name	owner_last_name
Max.32 characters	(ISO 3166 two-letter code (alpha-2)) *1	(Copy the string from Extension's setting screen) *1 *2	Max.256 characters	Max.256 characters

*1 : If the value is invalid, it will be registered as blank when imported.

*2 : If the string contains commas, enclose it in double quotes.

- CSV format of VI LPR Extension is as follows.

License Plate	Country /State	Year	Make	Model	Color	First Name	Last Name	Threat Level
Max.32 characters	-	-	-	-	-	Max.32 characters	Max.32 characters	-

*When VI LPR Extension, only License Plate, First Name and Last Name are registered for i-PRO Active Guard Server.

Example)

License Plate, Country/State, Year, Make, Model, Color, First Name, Last Name, Threat Level
BFP8526, USA-TX, 2020, Honda, Accord, Blue, Hiro, Kitaoka, None123
ABC1234, , , , , John, Smith,

Note:

- Up to 1,000 items can be imported from a CSV file.
-


2.5.5. OCR Watchlist

This section describes the operation of add, edit, and delete.

If you don't have a permission to access the watchlist or your camera configuration has no AI-Camera which installed VaxOCR GENESIS application, then this function is not available.

- **Add Registration**

To register OCR code to the watchlist, navigate to Set up watchlists button > OCR tab.




Registered items are listed on the left side.

To add new item, click "+ Create a new watchlist" button.

Note:

- OCR Code cannot be set directly in the watchlist.
Please register the OCR Code to OCR Code group.
About OCR Code group, please see 2.5.5.1.
About OCR Code, please see 2.5.5.2.
-




The following procedure is the same as when registering people watchlists, see 2.5.2.

Note:

- There is no limitation to the number of OCR and group (*depending on the system design).
Up to 12 OCR watchlist can be registered.
 - Only one item can be selected from each category. This is because many items register would affect false positives.
 - In Validity Period, two expiration dates can be set.
Disable matching: After the expiration date, this OCR watchlist will not be detected.
Delete registration: After the expiration date, this OCR watchlist will be deleted.
 - It is impossible to register to multiple i-PRO Active Guard server at the same time.
-


- **Edit Registration**

To edit a registered watchlist, select one of registered item then change selected item.



- **Delete Registration**

To delete a registered watchlist, right click one of registered item.




2.5.5.1. Manage OCR Code group

- **Add Registration**


Step 1

In OCR Watchlist Setup screen, select server from “Search by i-PRO Active Guard Server.” Click “+ Manage OCR Code.”




Step 2

Click “Manage groups.”



Step 3

Input group name, and "+ Add" button.




The screenshot shows a dark-themed dialog box titled "Manage groups" with a close button (X) in the top right corner. At the top, there is a text input field containing a vertical bar, a blue "+ Add" button, and two grey buttons labeled "Update" and "Remove". Below this is a list with the header "Name". The list contains three items: "group1", "group2" (which is highlighted with a grey background), and an empty space below it.

Step 4

Click "Save group" button.

After setting, please close with "x".



The screenshot shows the same "Manage groups" dialog box. The text input field now contains "group3 +". The blue "+ Add" button is now greyed out. The list items are "group3 +", "group1" (highlighted), and "group2". At the bottom of the dialog, there are two buttons: "Cancel" and "Save group", with the "Save group" button highlighted by a yellow box. The close button (X) in the top right corner is also highlighted by a yellow box.

- **Edit Registration**

Step 1

Select one of group name from list, then edit group name and click Update button.

Step 2

Click “Save group” button.

- **Delete Registration**

Step 1


Select one of group name from list, then click Remove button.

Step 2

Click “Save group” button.

Note:

- If delete or edit a group is fail, make sure the target group is not in your OCR watchlists.




2.5.5.2. Manage OCR Code

- **Get registered list**


Step 1

In OCR Watchlist Setup screen, select server from “Search by i-PRO Active Guard Server.” Click “+ Manage OCR Code.”



Step 2

Click “Search” button by using filter.



Note:


- Up to 1,000 OCR Code can be shown at the same time. If your search results exceed 1000 results, please set the search filter so that the search results are less than 1000 results.

- **Add Registration**

OCR code can be registered via the Action button or the Watchlist Setup screen.
For Action button, see 2.2.1.3.


Step 1

In OCR Watchlist Setup screen, select server from “Search by i-PRO Active Guard Server.”
Click “+ Manage OCR Code.”




Step 2

Click “+ New OCR Code”.



Step 3

Input information then click Save. "OCR Code" is required.



The screenshot shows a software interface titled "Watchlists Setup" with a dark theme. At the top, there are navigation tabs: "People", "Faces", "Vehicles", "LPR", "OCR" (which is selected and underlined), and "Container". Below the tabs, there is a green checkmark icon and the text "New OCR Code". The main area contains a form with the following fields:

- "i-PRO Active Guard server" with a text input field containing "192.168.0.229".
- "OCR Code" with a text input field that is currently empty.
- "Group" with a dropdown menu showing "Select group...".
- "Validity period" with an unchecked checkbox.
- "Remarks" with a text input field that is currently empty.

At the bottom of the form, there are two buttons: "Cancel" and "Save".

Note:

- In Validity Period, two expiration dates can be set.
Disable matching: After the expiration date, this OCR Code will not be detected.
Delete registration: After the expiration date, this OCR Code will be deleted.
-

● Edit Registration


Step 1


First, find registered OCR Code you want to edit the information.
Registered OCR Code can be searched by using filter.

Note:

- Up to 1,000 OCR Code can be shown at the same time.
If your search results exceed 1000 results, please set the search filter so that the search results are less than 1000 results.

Step 2

Select one of OCR Code from search results, then click  button.




Step 3

Edit any information then click Save.

- **Delete Registration**

Step 1

Select check box of OCR Code from list, then click Delete selections button.



2.5.5.3. Export CSV of OCR code

Registered OCR codes can be exported to CSV.


Export the following items:


- OCR code

Step 1

Search “Registered OCR Code” you want to export by using Filter watchlists.

Step 2

Click  , then click Export CSV.



Note:

- Up to 1,000 items can be exported to a CSV file.
If your search results exceed 1000 results, please set the search filter so that the search results are less than 1000 results.
- Export all search results to CSV, regardless of the checkboxes for each item.


Step 3


Specify the output destination for the CSV file and save it.

2.5.5.4. Import CSV of OCR code

Register OCR code using Import the CSV file export by this Extension. OCR code of CSV information is registered.

Step 1

Click  , then click Import CSV.



Step 2

Select the CSV file, then click Open.

- CSV format is as follows.

ocr_code
Max.32 characters

Note:

- Up to 1,000 items can be imported from a CSV file.
-


2.5.6. Container Watchlist

This section describes the operation of add, edit, and delete.

If you don't have a permission to access the watchlist or your camera configuration has no AI-Camera which installed VaxOCR CONTAINER application, then this function is not available.

- **Add Registration**

To register a container's details or container code to the watchlist, navigate to set up watchlists button > Container tab.




Registered items are listed on the left side.

To add new item, click "+ Create a new watchlist" button.

- **Add Registration (Detect by container details)**

Set "Detect by container details" to "On," then select items.




- **Add Registration (Container Group)**

Set “Detect by container details” to “Off,” then select container group and Trigger.

Note:

- Container code cannot be set directly in the watchlist.
Please register the container code to container group.
About container group, please see 2.5.6.1.
About container code, please see 2.5.6.2.
-




The following procedure is the same as when registering people watchlists, see 2.5.2.

Note:

- There is no limitation to the number of container code and container group (*depending on the system design).
Up to 12 Container watchlist can be registered.
 - Only one item can be selected from each category. This is because many items register would affect false positives.
 - In Validity Period, two expiration dates can be set.
Disable matching: After the expiration date, this container watchlist will not be detected.
Delete registration: After the expiration date, this container watchlist will be deleted.
 - It is impossible to register to multiple i-PRO Active Guard server at the same time.
-


- **Edit Registration**

To edit a registered watchlist, select one of registered item then change selected item.



- **Delete Registration**

To delete a registered vehicle appearance, right click one of registered item.



2.5.6.1. Manage Container group

- **Add Registration**

Step 1

In Container Watchlist Setup screen, select server from “Search by i-PRO Active Guard Server.” Click “+ Manage container code.”

Watchlists Setup

People | Faces | Vehicles | LPR | OCR | **Container**

Saved watchlists

Search by i-PRO Active Guard Server

192.168.0.229

Suspicious container 01

Suspicious container 02

Suspicious container 03 +

+ New watchlist

Watchlist name: Suspicious container 03

Camera: Cameras (1)

Detect by container details

Size code: Enter size code

Owner country: Select owner country...

Owner city: Select owner city...

Owner company: Select owner company...

Validity period:

Remarks:

Clear all filters

Enable notifications

Cancel

Save watchlist

+ Manage container code

Step 2

Click “Manage groups.”

Watchlists Setup

People | Faces | Vehicles | LPR | OCR | **Container**

Filter watchlists

i-PRO Active Guard Server

192.168.0.229

Container code

Size code

Owner country: Select owner country...

Owner city: Select owner city...

Owner company: Select owner company...

Group: Select group...

Validity period: 9/1/2024 06:29 AM

Clear all

Search

Registered container code

Manage groups

+ New container code


Container code	Size code	Owner country	Owner city	Owner company	Group	Validity period
Delete selections						

* If the number of search results exceed 1,000, the latest 1,000 items are shown.

Read: 0 / 0
Registered container code results

Step 3


Input group name, and "+ Add" button.



Step 4

Click "Save group" button.

After setting, please close with "x".



- **Edit Registration**

Step 1

Select one of group name from list, then edit group name and click Update button.

Step 2

Click “Save group” button.

- **Delete Registration**

Step 1


Select one of group name from list, then click Remove button.

Step 2

Click “Save group” button.

Note:

- If delete or edit a group is fail, make sure the target group is not in your Container watchlists.



2.5.6.2. Manage Container code

- **Get registered list**

Step 1

In Container Watchlist Setup screen, select server from “Search by i-PRO Active Guard Server.” Click “+ Manage container code.”

The screenshot shows the 'Watchlists Setup' dialog box with the 'Container' tab selected. On the left, under 'Saved watchlists', there is a search field 'Search by i-PRO Active Guard Server' containing '192.168.0.229'. Below it are three watchlist entries: 'Suspicious container 01', 'Suspicious container 02', and 'Suspicious container 03 +'. The 'Suspicious container 03 +' entry is highlighted. On the right, the 'Watchlist name' is 'Suspicious container 03'. Below it are fields for 'Camera' (Cameras (1)), 'Detect by container details' (checked), 'Size code' (Enter size code), 'Owner country' (Select owner country...), 'Owner city' (Select owner city...), 'Owner company' (Select owner company...), 'Validity period' (checkbox), and 'Remarks'. At the bottom right, there is a '+ Manage container code' button highlighted with a yellow box. At the bottom left, there is a '+ New watchlist' button. At the bottom center, there are 'Clear all filters' and 'Enable notifications' (checked) buttons. At the bottom right, there are 'Cancel' and 'Save watchlist' buttons.

Step 2

Click “Search”

The screenshot shows the 'Watchlists Setup' dialog box with the 'Container' tab selected. On the left, there is a 'Filter watchlists' section with a dropdown menu showing 'i-PRO Active Guard Server' and '192.168.0.229'. Below it are fields for 'Container code', 'Size code', 'Owner country' (Select owner country...), 'Owner city' (Select owner city...), 'Owner company' (Select owner company...), 'Group' (Select group...), and 'Validity period' (checkbox). At the bottom left, there are 'Clear all filters' and 'Search' buttons. The 'Search' button is highlighted with a yellow box. On the right, there is a 'Registered container code' table with columns: 'Container code', 'Size code', 'Owner country', 'Owner city', 'Owner company', 'Group', and 'Validity period'. Above the table are buttons for 'Manage groups' and '+ New container code'. Below the table is a 'Read: 0 / 0 Registered container code results' indicator. At the bottom right, there is a note: '* If the number of search results exceed 1,000, the latest 1,000 items are shown.'

Note:


- Up to 1,000 container code can be shown at the same time. If your search results exceed 1000 results, please set the search filter so that the search results are less than 1000 results.

- **Add Registration**

Container code can be registered via the Action button or the Watchlist Setup screen.
For Action button, see 2.2.1.3.


Step 1

In Container Watchlist Setup screen, select server from “Search by i-PRO Active Guard Server.”
Click “+ Manage container code.”




Step 2

Click “+ New container code.”



Step 3

Input information then click Save. "Container code" is required.



The screenshot shows a 'Watchlists Setup' dialog box with a 'Container' tab selected. The dialog contains the following fields and options:

- i-PRO Active Guard server:** 192.168.0.229
- Container code:** [Redacted]
- Size code:** [Redacted]
- Owner country:** Select owner country...
- Owner city:** Select owner city...
- Owner company:** Select owner company...
- Group:** Select group...
- Validity period:**
- Remarks:** [Redacted]

At the bottom of the dialog are 'Cancel' and 'Save' buttons.

Note:

- In Validity Period, two expiration dates can be set.
Disable matching: After the expiration date, this container code will not be detected.
 - Delete registration: After the expiration date, this container code will be deleted.
-

● Edit Registration


Step 1


First, find the registered container code you want to edit the information. Registered container code can be searched by using filter.

Note:

- Up to 1,000 container codes can be shown at the same time. If your search results exceed 1000 results, please set the search filter so that the search results are less than 1000 results.

Step 2

Select one of container code from search results, then click  button.




Step 3

Edit any information then click Save.

- **Delete Registration**

Step 1

Select check box of container code from list, then click Delete selections button.



2.5.6.3. Export CSV of Container code

Registered container code can be exported to CSV.


Export the following items:


- Container code
- Size code
- Owner country
- Owner company

Step 1

Search “Registered container code” you want to export by using Filter watchlists.

Step 2

Click , then click Export CSV.



The screenshot shows the 'Watchlists Setup' window with the 'Container' tab selected. On the left, there is a 'Filter watchlists' panel with various search filters. The main area displays a table titled 'Registered container code' with columns for Container code, Size code, Owner country, Owner city, Owner company, and Group. Two rows are visible: one with 'TEST123' and another with 'ABC123'. A settings gear icon is located in the top right of the table area, and a yellow box highlights the 'Export CSV' button in the top right corner of the table.

Container code	Size code	Owner country	Owner city	Owner company	Group	
<input type="checkbox"/>	TEST123	AA11	United States	Houston,tx 77064	Group1	9/26/2024 3:59:00 PM
<input type="checkbox"/>	ABC123		United States		Group1	

Note:

- Up to 1,000 items can be exported to a CSV file.
If your search results exceed 1000 results, please set the search filter so that the search results are less than 1000 results.
 - Export all search results to CSV, regardless of the checkboxes for each item.
-


Step 3


Specify the output destination for the CSV file and save it.

2.5.6.4. Import CSV of Container code

Register Container code using Import the CSV file export by this Extension.
 Container code, Size code, Owner country and Owner company of CSV information are registered.

Step 1

Click , then click Import CSV.



Step 2

Select the CSV file, then click Open.

- CSV format is as follows.

container_code	size_code	country	owner_city	owner_company
Max. 11 characters	Max. 4 characters	(ISO 3166 two-letter code (alpha-2)) *1	(Copy the string from Extension's setting screen) *1 *2	(Copy the string from Extension's setting screen) *1 *2

*1 : If the value is invalid, it will be registered as blank when imported.


*2 : If the string contains commas, enclose it in double quotes.

Note:

- Up to 1,000 items can be imported from a CSV file.

2.5.7. Preferences


Preferences provide some option settings such as playback video mode and so on.



A. Playback

You can select continue to playback mode or repeat playback mode. When using repeat playback mode, it needs to set up Start playback and End playback.

This setting is available both of i-PRO Active Guard Search and i-PRO Active Guard Event.




B. Search setting

- Maximum number of searches

You can select maximum number of searches from 1000 to 5000.


After the maximum number is reached, below message will be displayed.

Select whether to clear and update the currently displayed search results or keep current display.



- Timeout interval for searches

You can select timeout interval for searches from 20 to 3600 seconds.



If a timeout occurs during the search, please extend the timeout value.

C. Display settings on Search Monitor

- Camera name/ Date time

You can set whether to show camera name/date time in the search results.

- Display position

You can set the display position of the camera name/date time.

D. License Plate Recognition

- Thumbnail display options

You can set whether to show the entire vehicle including the license plate or only the license plate in the search results.

E. OCR Code Recognition

- Filter name

You can change the display name of OCR filter.

- Code name

You can change the display name of OCR Code.

- Thumbnail display options

You can set whether to show the entire including the OCR Code or only the OCR Code in the search results.


F. Container Code Recognition

- Thumbnail display options

You can set whether to show the entire including the Container Code or only the Container Code in the search results.

G. Show the latest alarm when starting event monitor

When you start-up i-PRO Active Guard Event, the latest detected events are loaded automatically to prevent from overlook important events.



The screenshot displays the 'Event monitor' interface. On the left, there is a 'Filter' sidebar with options for 'Registered face abstraction', 'Registered people detection', 'AI VMD', and 'Sound'. The main area shows a table of events with columns for 'Data / Time', 'Camera', 'Event', 'Event Details', 'Registered', and 'Details'. The table contains several rows of event data, including 'Auto detection', 'Face Detection', 'Luggage', 'Person', 'Object', 'Person', 'Person', and 'Person'.

Data / Time	Camera	Event	Event Details	Registered	Details
2024/10/17 10:10:00	Cam01	Auto detection	Auto detection	—	Event Details
2024/10/17 10:10:00	Cam01	Face Detection	Face Detection	—	Event Details
2024/10/17 10:10:00	Cam01	Luggage	Luggage	—	Event Details
2024/10/17 10:10:00	Cam01	Person	Person	—	Event Details
2024/10/17 10:10:00	Cam01	Object	Object	—	Event Details
2024/10/17 10:10:00	Cam01	Person	Person	—	Event Details
2024/10/17 10:10:00	Cam01	Person	Person	—	Event Details
2024/10/17 10:10:00	Cam01	Person	Person	—	Event Details
2024/10/17 10:10:00	Cam01	Person	Person	—	Event Details
2024/10/17 10:10:00	Cam01	Person	Person	—	Event Details

2.5.8. Attribute Settings

Attribute Settings provide settings to visibility of attributes.

Unchecked attributes will be hidden in filter and watchlist settings.

Attribute Settings

People

- Gender
- Age
- Hair
- Hat / Helmet
- Top
- Bottom
- Sunglasses
- Beard
- Mask
- Bag
- Shoes
- Moving Direction

Faces

- Age
- Gender

Vehicles

- Vehicle type
- Vehicle color
- Moving Direction


LPR

- Country/State
- Moving Direction
- Vehicle type
- Vehicle color
- Brand/Model
- Owner's name/photo

Default settings Cancel Save

Note:

- Other than faces setting cannot be changed if watchlists are already registered. If you try to change settings, the following message.





When multiple i-PRO Active Guard servers are registered in Extension, watchlists will be deleted from all registered servers.

- OCR and Container are not supported.
-

2.5.9. Software updates

A notification and pop-up will appear as follows when the currently used Sever or Extension is available for updating.



Note:

- [Software update] will not appear in environments without an Internet connection.
-

3. TROUBLESHOOTING

Before asking for repairs, check the symptoms with the following table.

Contact your dealer if a problem cannot be solved even after checking and trying the solution in the table or a problem is not described below.

Symptom	Cause/solution
Face, People, Vehicle, etc. images cannot be searched (the number of search result is 0).	Check if schedule setting on camera side for extension software is on. Receiving status from each camera can be confirmed from i-PRO Active Guard configuration (see Setup instruction manual).
False detection. (Not face, people or vehicle is searched)	To avoid false detection, configure mask area using iCT (i-PRO Configuration Tool).
Playback time is incorrect.	Check if PC time of i-PRO Active Guard server and VMS server are synchronized when i-PRO Active Guard server is installed to dedicated server. Also check if time zone setting of VMS server and VMS client are the same.
Detected thumbnail is not attached with alarm.	Detected image shows when 1920x1080 or smaller resolution is set for JPEG (2) on camera setting. When higher resolution is set or JPEG (2) is not available, detected image may not be shown.
Object type like human or vehicle is not shown on Details of Event monitor for AI-VMD alarm.	Check AI-VMD setting on camera side. "With detection object information (alarm frame information)" or "With detection object information (AI frame information)" should be configured for "Additional information type."
Failed to register Face.	If there are no margin around face image, it may increase encountering failure.
When access the Web setting page after a certain period of time, "A timeout has occurred." is displayed.	For security protection, if you do not operate for a while with the WEB setting page, a timeout will occur, and you will not be able to change the settings. In such a case, close the web browser, access it again, and enter the authentication information.
False alarm of face matching.	Please adjust "Alarm threshold" according to your environment and registered face image.
Saved filters don't work correctly after upgrade.	Please reset your filters, After upgrading from V1.60 or earlier to V1.70 or later, "Color image only" of the saved filters may not work correctly.
Edit or delete license plate group, OCR group, Container group is failed.	Please make sure the target group is not in your LPR, OCR, Container watchlists.
The display of Web setting page is misaligned.	Please try clearing the cache in your web browser, and close the web browser, access it again.
Slow response to searches, settings, etc.	Response may be slow depending on your environment. SQL instances on the network, especially when using FCI, tend to be slower. Please wait a while until the process is completed. To improve the situation, please reduce the server load (reduce the number of searches) or review the network configuration and try again.

4. Appendices

4.1. Specifications

Please refer to the following URL for details on specifications.

https://i-pro.com/products_and_solutions/en/surveillance/documentation-database/i-pro-ai-applications-spec-sheet-us

5. OPEN-SOURCE SOFTWARE

Extension uses open-source software. The terms and conditions of open-source software have already applied to use this software. Our company is unable to answer any question about the following copyrights or the license information.

[MahApps.Metro]

Copyright (c) 2016 MahApps

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[Newtonsoft.Json]

Copyright (c) 2007 James Newton-King

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Original SSLeay License

```
/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
 * All rights reserved.
 *
 * This package is an SSL implementation written
 * by Eric Young (eay@cryptsoft.com).
 * The implementation was written to conform with Netscape's SSL.
 *
 * This library is free for commercial and non-commercial use as long as
 * the following conditions are adhered to. The following conditions
 * apply to all code found in this distribution, be it the RC4, RSA,
 * lhash, DES, etc., code; not just the SSL code. The SSL documentation
 * included with this distribution is covered by the same copyright terms
 * except that the holder is Tim Hudson (tjh@cryptsoft.com).
 *
 * Copyright remains Eric Young's, and as such any Copyright notices in
 * the code are not to be removed.
 * If this package is used in a product, Eric Young should be given attribution
 * as the author of the parts of the library used.
 * This can be in the form of a textual message at program startup or
 * in documentation (online or textual) provided with the package.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. All advertising materials mentioning features or use of this software
 * must display the following acknowledgement:
 * "This product includes cryptographic software written by
 * Eric Young (eay@cryptsoft.com)"
 * The word 'cryptographic' can be left out if the routines from the library
 * being used are not cryptographic related :-).
 * 4. If you include any Windows specific code (or a derivative thereof) from
 * the apps directory (application code) you must include an acknowledgement:
```

```

* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publicly available version or
* derivative of this code cannot be changed. i.e., this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/

```

For the mod deflate zlib compression component:

(C) 1995-2019 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jlop@gzip.org madler@alumni.caltech.edu

For the mod_lua language component:

Lua License

Lua is licensed under the terms of the MIT license reproduced below.

This means that Lua is free software and can be used for both academic and commercial purposes at absolutely no cost.

For details and rationale, see <http://www.lua.org/license.html>.

=====
Copyright (C) 1994-2012 Lua.org, PUC-Rio.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====
For the mod_proxy_html and mod_xml2enc libxml2 C library components:

Except where otherwise noted in the source code (e.g., the files hash.c, list.c and the trio files, which are covered by a similar licence but with different Copyright notices) all the files are:

Copyright (C) 1998-2012 Daniel Veillard. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For the mod_http2 nhttp2 C library component:

The MIT License

Copyright (c) 2012-2019 Tatsuhiro Tsujikawa
Copyright (c) 2012-2019 nhttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For the mod_brotli Brotli C library component:

Copyright (c) 2009-2019 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

For the mod_md Curl C library component:

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1996 - 2019, Daniel Stenberg, <daniel@haxx.se>, and many contributors.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD-PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

For the mod_md Jansson C library component:

Copyright (c) 2009-2019 Petri Lehtinen <petri@digip.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[ControlzEx]

The MIT License (MIT)

Copyright (c) 2015 Jan Karger, Bastian Schmidt

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[Dragablz]

The MIT License (MIT)

Copyright (c) James Willock, Mulholland Software and Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[MaterialDesignInXamlToolkit]
[MaterialDesignThemes.MahApps]
[MaterialDesignColors.Wpf]

The MIT License (MIT)

Copyright (c) James Willock, Mulholland Software and Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[gflags]

The MIT License (MIT)

Copyright (c) 2015 Mark Jansen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[JSON for Modern C++]

The class is licensed under the MIT License:

Copyright © 2013-2022 Niels Lohmann

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[boost]

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[Windows Caffe]

COPYRIGHT

All contributions by the University of California:
Copyright (c) 2014-2017 The Regents of the University of California (Regents)
All rights reserved.

All other contributions:
Copyright (c) 2014-2017, the respective contributors
All rights reserved.

Caffe uses a shared copyright model: each contributor holds copyright over their contributions to Caffe. The project versioning records all such contribution and copyright details. If a contributor wants to further mark their specific copyright on a particular contribution, they should indicate their copyright solely in the commit message of the change when it is

committed.

LICENSE

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

CONTRIBUTION AGREEMENT

By contributing to the BVLC/caffe repository through pull-request, comment, or otherwise, the contributor releases their content to the license and copyright terms herein.

[OpenCV]

By downloading, copying, installing or using the software you agree to this license. If you do not agree to this license, do not download, install, copy or use the software.

License Agreement
For Open Source Computer Vision Library
(3-clause BSD License)

Copyright (C) 2000-2020, Intel Corporation, all rights reserved.
Copyright (C) 2009-2011, Willow Garage Inc., all rights reserved.
Copyright (C) 2009-2016, NVIDIA Corporation, all rights reserved.
Copyright (C) 2010-2013, Advanced Micro Devices, Inc., all rights reserved.
Copyright (C) 2015-2016, OpenCV Foundation, all rights reserved.
Copyright (C) 2015-2016, Itseez Inc., all rights reserved.
Copyright (C) 2019-2020, Xperience AI, all rights reserved.
Third party copyrights are property of their respective owners.

Redistribution and use in source and binary forms, with or without modification,

are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the names of the copyright holders nor the names of the contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors "as is" and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall copyright holders or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

[OpenBlas]

Copyright (c) 2011-2014, The OpenBLAS Project
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the OpenBLAS project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[glog]
[OpenSSL]
[OpenCV]

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

av0621-6085 PGQP3324JA