

WV-ASM100/ASM100L Firmware Version History

Date of issue	Firmware	Contents	Applicable production
	V1.02	Improvement of the functional reliability	Beg of Apr. '07
	V2.00	1) WJ-HD300A capability 2) Direct control of camera and ecorder products for the system does not have recorder. 3) Windows Vista capability	Mid of Jul. '07
Jan.18,'08	V3.00	Added an Audio capability 1) Playback audio for ND200/ND300. 2) Pick up audio from camera. 3) Transmit audio to camera.	Mid.of Jan. '08
Aug.5,'08	V.4.00	NF302, NP304, NT314, ND400, RT416 supported. Aug. '08 New functions including followings 9/16 split screen for operation display 9/16 split screen for sequence display Full screen mode at start up Spot display mode by clicking the camera icon Image display suspend function Operation with CU950 improved Video analytic function of the NT314 can be displayed. ND400 VMD search supported Same camera cannot be displayed on the operation monitor and live monitor at a time in MPEG4 multicast mode fixed.	Aug.08
Oct.14,'08	V4.10	Company name changed (No functional update.).	Oct.08
Jan.9,'09	V4.11	Company name changed for Electronic Signature(No functional update.).	Jan.08
Jun.8,'09	v4.15	Improved SEQ problem Rarely SEQ Function will stop and Viewing Monitor will Freez	May.09

**NOTE : 1.Please uninstall current version of WV-ASM100 first before install latest version. (Please refer installation guide)
2. Use with latest version of ASM100 requaierd Higher CPU performance.Please refer SetupGuide for the Min Requaierd Specification**

WV-ASM100/ASM100L Firmware Version History

Date of issue	Firmware	Contents	Applicable production
Oct.16,'09	V5.00	1.Support NP502/NW502 -Show NP502/NW502 live image -Support H.264 codec -Support dual stream(Can select stream1 or 2manually or automatically) 2.Support NDR new firmware -Show NP502/NW502 live/playback image including H.264 via NDR -Show AXIS mpeg-4 live/playback image via ND400(not support direct access) -Show PCC new camera live/playback image via ND200(not support direct access) 3.Drag & Zoom -direct camera access only(not support via NDR) 4.Transparent Icon -Support original bmp file and new transparent png file both 5.Enhance alarm -continue alarm buzzer till pushing stop button -change map automatically when alarm occur 6.All users Privilege for Operation -prepare user mode (all users or only for me) in the installer and any user can run ASM100 *Important---for installation, need administrator Rights 7.SQL Server(Multi Language OS)	Oct.09
Nov.18,'09	V6.00	1.Support HD616/HD716 -Show HD616/716 live/playback image -Search /Notifv i-VMD alarm 2.Change Defult compression Setting from FIX value to Sync and Update information with connected units. 3.Supported OS Microsoft® Windows® 7 Professional (32-bit) / Microsoft® Windows® 7 Professional (64-bit) Microsoft® Windows Vista® Business SP2 (32-bit) / Microsoft® Windows Vista® Business SP2 (64-bit) Microsoft® Windows® XP Professional SP3(32-bit)	Jan.10

**NOTE : 1.Please uninstall current version of WV-ASM100 first before install latest version. (Please refer installation guide)
 2. Use with latest version of ASM100 requaierd Higher CPU performance.Please refer SetupGuide for the Min Requaierd Specification**

WV-ASM100/ASM100L Firmware Version History

Panasonic System Networks

Jan .17,'11

Date of issue	Firmware	Contents	Applicable production
Mar.18.'10	V5.00	1.Company name changed on digital sign. 2.Fixed "Active-X bug (Become gray)". 3.Change SQL installer for Russia/French.	Apr.'10
Nov.13.'09	V6.00	1.Version Up 2.HD716/616 supported. 3.Windows7 32bit/64bit supported 4.Enable to set or change the compression method (MPEG4/H.264) of connected IP camera through 5."2nd connected RT416 controled with CU950 might be out of control" fixed.	Jan.'10
Mar.18.'10	V6. 01	1.Company name changed to "Panasonic System Networks". 2.Active-X bug fixed.(Gray line) 3.French/Russian SQL installer issue fixed	Apr.'10
Aug.5.'10	V.7.00	1.Version Up 2.New camera supported (GXD500, SP300,SF300 series) 3."Connection error message might appear on some PC" fixed.	Aug.'10
Jan.5.'11	V.8.00	1.NV200, SC385, SP102, SP105 (SW395, SF346, SF342) supported 2.CU950 "+", "-" key operation (Camera No. up/down select) supported. 3. "PTZ camera : pre-SET autilization" bug fixed 4.Recorder's Terminal Alarm handling improved (Enable to arrange "terminal No.<=> camera No." freely)	Jan.'11

**NOTE : 1.Please uninstall current version of WV-ASM100 first before install latest version. (Please refer installation guide)
2. Use with latest version of ASM100 requaierd Higher CPU performance.Please refer SetupGuide for the Min Requaierd Specification**