

UL TEST REPORT AND PROCEDURE

Standard:	UL 62368-1, 3rd Ed, Issued: 2019-12-13 (Audio/video, information and communication technology equipment Part 1: Safety requirements) CAN/CSA C22.2 No. 62368-1:19, 3rd Ed, Issued: 2019-12-13 (Audio/video, information and communication technology equipment Part 1: Safety requirements)
Certification Type:	Listing
CCN:	AZOT, AZOT7 (Audio/video, Information and Communication Technology Equipment)
Complementary CCN:	N/A
Product:	Network Camera
Model:	1) WV-S8574L, WV-S8573L, WV-S8544L, WV-S8543L, WV-S8564L, WV-S8563L 2) WV-S8544, WV-S8543
Rating:	1) 54 V d.c.(PoE) 470 mA 2) 54 V d.c.(PoE) 320 mA
Applicant Name and Address:	Panasonic i-PRO Sensing Solutions Co., Ltd. 4-1-62 MINOSHIMA HAKATA-KU FUKUOKA-SHI FUKUOKA-KEN 812-8531 JAPAN

This is to certify that representative samples of the products covered by this Test Report have been investigated in accordance with the above referenced Standards. The products have been found to comply with the requirements covering the category and the products are judged to be eligible for Follow-Up Service under the indicated Test Procedure. The manufacturer is authorized to use the UL Mark on such products which comply with this Test Report and any other applicable requirements of UL LLC ('UL') in accordance with the Follow-Up Service Agreement. Only those products which properly bear the UL Mark are considered as being covered by UL's Follow-Up Service under the indicated Test Procedure.

The applicant is authorized to reproduce the referenced Test Report provided it is reproduced in its entirety.

UL authorizes the applicant to reproduce the latest pages of the referenced Test Report consisting of the first page of the Specific Technical Criteria through to the end of the Conditions of Acceptability.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Prepared By: Kenshi Shimomura / Project
Handler

Reviewed By: Tadao Nakayama / Reviewer

Supporting Documentation

The following documents located at the beginning of this Procedure supplement the requirements of this Test Report:

A. Authorization - The Authorization page may include additional Factory Identification Code markings.

B. Generic Inspection Instructions -

- i. Part AC details important information which may be applicable to products covered by this Procedure. Products described in this Test Report must comply with any applicable items listed unless otherwise stated in the body of this Test Report.
- ii. Part AE details any requirements which may be applicable to all products covered by this Procedure. Products described in this Test Report must comply with any applicable items listed unless otherwise stated in the body of each Test Report.
- iii. Part AF details the requirements for the UL Certification Mark which is not controlled by the technical standard used to investigate these products. Products are permitted to bear only the Certification Mark(s) corresponding to the countries for which it is certified, as indicated in each Test Report.

Product Description

This product is a Network Camera for use in an outdoor environment.

This equipment is supplied from the External Power Supply.

External Power Supply : That External Power Supply itself is not evaluated in this report.

Model Differences

Refer to Enclosure Id: 07-01 for details of model differences.

WV-S8574L was used for test purposes and is considered representative of the entire series.

Test Item Particulars

Product group	end product
Classification of use by	Ordinary person Instructed person Skilled person
Supply Connection	not mains connected: ES1
Supply tolerance	None
Supply connection – type	External Power Supply
Considered current rating of protective device	N/A
Equipment mobility	stationary wall/ceiling-mounted
Over voltage category (OVC)	OVC II
Class of equipment	Class III
Special installation location	N/A
Pollution degree (PD)	PD 2
Manufacturer's specified T _{ma} (°C)	60
IP protection class	IP 66 / 67
Power systems	not AC mains
Altitude during operation (m)	2000 m or less
Altitude of test laboratory (m)	1000 m
Mass of equipment (kg)	3.3kg (Mode WV-S8574L, WV-S8544L, WV-S8564L, WV-S8544), 3.1kg (Model WV-S8573L, WV-S8543L, WV-S8563L, WV-S8543)

Additional Information

Maximum normal load is continuous recording and LED lighting.

Additional Standards

The product fulfills the requirements of: UL 62368-1 3rd Edition, Issued December 13, 2019, CAN/CSA C22.2 No. 62368-1:19, 3rd Edition

Markings and Instructions

Clause Title	Marking or Instruction Details
Equipment identification marking – Manufacturer identification	Listee's or Recognized Company's name, Trade Name, Trademark or File Number
Equipment identification marking – model identification	Model Number
Equipment rating marking – ratings	Input Ratings (voltage, frequency/dc, current/power)

Special Instructions to UL Representative

N/A