







Sec A-A (1:1)




Model number	Coating	
	Camera unit Camera arm unit PAN unit	Pedestal unit Cable cover
WV-X6533LNUX WV-S6532LNUX	Black	Silver
WV-X6533LNSUX WV-S6532LNSUX	Metallic black (Heavy salt damage resistance)	Silver (Heavy salt damage resistance)

	投影面積/Projected area
平面図/Top-view	0.041 (m <sup>2</sup> )
側面図/Side-view	0.083 (m <sup>2</sup> )


Mass : Approx. 8.0 kg {17.66 lbs}




Remove Cable cover



Remove Cable case




Remove SD slot cover



Remove SD slot cover / Cable cover


Model number
WV-X6533LNUX
WV-S6532LNUX
WV-X6533LNSUX
WV-S6532LNSUX

金具との組み合わせ例  
Example of combination with bracket



Attach to WV-Q121B\*\*

	投影面積/Projected area
正面図/Front-view	0.098 (m <sup>2</sup> )
平面図/Top-view	0.048 (m <sup>2</sup> )
側面図/Side-view	0.1 (m <sup>2</sup> )



Attach to WV-Q122A\*\*

	投影面積/Projected area
正面図/Front-view	0.097 (m <sup>2</sup> )
平面図/Top-view	0.049 (m <sup>2</sup> )
側面図/Side-view	0.102 (m <sup>2</sup> )

Model number
WV-X6533LNUX
WV-S6532LNUX
WV-X6533LNSUX
WV-S6532LNSUX